

# HILGARDIA

*A Journal of Agricultural Science Published by  
the California Agricultural Experiment Station*

VOLUME 33

SEPTEMBER, 1962

NUMBER 2

## **HOST LIST OF THE ROOT ROT FUNGUS, ARMILLARIA MELLEA**

**ROBERT D. RAABE**

UNIVERSITY OF CALIFORNIA • BERKELEY, CALIFORNIA

# H I L G A R D I A

*A Journal of Agricultural Science Published by  
the California Agricultural Experiment Station*

---

VOL. 33

SEPTEMBER, 1962

No. 2

---

## **HOST LIST OF THE ROOT ROT FUNGUS, ARMILLARIA MELLEA<sup>1</sup>**

**ROBERT D. RAABE<sup>2</sup>**

THE ROOT-ROT FUNGUS, *Armillaria mellea* (Vahl.) Quél., is known to occur throughout the world in both temperate and tropical regions. The fungus, which was originally described as *Agaricus melleus* Vahl., is sometimes called *Armillariella mellea* Karst. *Armillaria fuscipes* Petch is also a synonym. It is commonly called the honey fungus or the honey agaric, though in various parts of the world it may be called the oak root fungus, the shoestring fungus or der Hallimasch.

It should be understood that the compilation of a complete list of hosts of any pathogen is difficult if not impossible. This is especially true where the pathogen has a large host range and is found in many areas of the world. A list can be made, however, which is somewhat more complete than the records in the abstracting journals. The journals used in making this list include the *Review of Applied Mycology* (R.A.M.), the *Experiment Station Record* (E.S.R.), *Zeitschrift fur Pflanzenkrankheiten* (Z. f. Pflanzenkrank.), Just's *Botanischer Jahresbericht* (Botan. Jahresber.), *Botanisches Centralblatt* (Botan. Centbl.), *Botanical Abstracts* (Botan. Abstr.), *Biological Abstracts* (Biol. Abstr.) and *Horticultural Abstracts* (Hort. Abstr.). Papers were re-reviewed in the original wherever possible, but regardless of whether information came from the original or from an abstracting journal the latter is quoted if possible in parentheses following each reference. (See References to First Reports of Hosts, page 67.) If more than one journal abstracted an article, only the journal giving the most complete information was quoted.

In recording the hosts of a pathogen which is a facultative parasite, it is sometimes difficult to know if the organism was acting as a pathogen or if it merely invaded plants killed by some other causal agent. If reference was made in the reports only to the fungus on nonliving plants, the plant was not included in the list. All other reports were included.

The host list includes the Latin binomial and authority for the hosts where possible. In reports where only the common names were given, the genus name and if possible the species name were added and put in brackets. The

<sup>1</sup> Submitted for publication August 16, 1961.

<sup>2</sup> Associate Professor of Plant Pathology and of Landscape Architecture, and Associate Plant Pathologist in the Experiment Station, Berkeley.

references used for the plant names and authorities were the *Manual of Cultivated Plants* (22), *Standard Encyclopedia of Horticulture* (21), *Manual of Cultivated Trees and Shrubs* (214), *Dictionary of Gardening* (221) and *Index Kewensis* (139). The *Style Manual for Biological Journals* (74) was used as a guide for style and for recording the botanical names.

In addition, the list includes the country of occurrence or of the report, the year of the first report for each region and the reference to this report. The first report is used since the date, starting with the first report by Hartig in 1873, indicates the susceptibility of the host. The number of references to the fungus on each host is given for each region. This also indicates the degree of susceptibility, although not accurately, since single reports, such as those given by Weiss (291), and Weiss and O'Brien (292), may be the composite of many reports. Crop disease papers and books were not included in the reports unless new information was given in them.

In an attempt to minimize the number of references only the first reference in each region is given. The regions used in separating the reports are as follows: the United States, Canada, Central and South America, Europe and Russia, Africa, India and Ceylon, Southeastern Asia, Australia and New Zealand, and the Orient.

HOST LIST OF *ARMILLARIA MELLEA*

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Abelia grandiflora</i> Rehd.	Glossy abelia	United States (California)	1949	(61)	1
[ <i>Abies</i> sp.]	Fir	Germany	1874	(117)	4
		India	1952	(18)	1
<i>Abies</i> sp.	Fir	United States (Western States)	1953	(292)	1
[ <i>Abies alba</i> Mill.]	Silver fir	Germany, Italy, Saxony, England, Poland	1890	(259)	7
<i>Abies alba</i> Mill. ( <i>A. pectinata</i> DC.) ( <i>A. picea</i> Lindl.)	Silver fir	Germany, Denmark, Italy	1873	(116)	6
<i>Abies amabilis</i> (Dougl.) Forb.	Red silver fir	United States (Washington) Canada (British Columbia)	1940 1949	(52) (54)	1 1
[ <i>Abies balsamea</i> Mill.]	Balsam fir	Canada (Ontario)	1953	(63)	2
<i>Abies balsamea</i> Mill.	Balsam fir	United States (New England States)	1953	(292)	3
		Canada (Maritime Provinces)	1942	(206)	4
<i>Abies concolor</i> Hoopes	Colorado or white fir	United States (New Mexico, California)	1953	(292)	2
<i>Abies grandis</i> Lindl.	Giant or grand fir	United States (Washington, Idaho) Switzerland	1903 1954	(202) (47)	3 1
[ <i>Abies lasiocarpa</i> Nutt.]	Alpine fir	United States (Colorado)	1950	(132)	1
<i>Abies lasiocarpa</i> Nutt.	Alpine fir	United States (Arizona, Colorado, New Mexico, Utah, Montana) Canada (British Columbia)	1953 1958	(292) (235)	2 1
<i>Abies magnifica</i> Murr. var. <i>shastensis</i> Lem.	Shasta fir	United States (California)	1955	(75)	1
<i>Abies pindrow</i> Spach		India	1954	(19)	1
<i>Abies pinsapo</i> Boiss.	Spanish fir	Italy	1899	(15)	1
<i>Abies procera</i> Rehd. ( <i>A. nobilis</i> Lindl.)	Noble fir	Scotland	1932	(215)	1
<i>Abies sibirica</i> Ledeb. ( <i>A. pichta</i> Forbes)		Denmark	1893	(219)	1
[ <i>Acacia</i> sp.]	Wattle	Australia England	1926 1943	(65) (175)	1 1
<i>Acacia</i> sp.		Australia Tanganyika England	(1923) 1934 1937	(187) (273) (30)	1 4 1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Acacia cunninghamii</i> Hook.		Tanganyika	1935	(275)	1
<i>Acacia decurrens</i> Willd.	Green wattle	Ceylon, India	1910	(195)	3
		Dutch East Indies	1924	(262)	1
		Tanganyika	1935	(275)	1
<i>Acacia decurrens</i> Willd. var. <i>dealbata</i> F. Muell. ( <i>A. dealbata</i> Link)	Silver wattle	Tanganyika	1934	(273)	1
<i>Acacia decurrens</i> Willd. var. <i>mollis</i> Lindl. ( <i>A. mollissima</i> Willd.)	Black wattle	Nyasaland	1951	(150)	1
<i>Acacia longifolia</i> Willd. var. <i>floribunda</i> F. Muell.		United States (California)	1949	(61)	1
<i>Acacia melanoxylon</i> R. Br.	Blackwood acacia	Nairobi, Tanganyika	1950	(90)	2
<i>Acacia podalyriaefolia</i> Cunn.	Pearl acacia	Tanganyika	1937	(276)	1
[ <i>Acer</i> sp.]	Maple	Germany	1896	(71)	2
<i>Acer</i> sp.	Maple	United States (New Jersey, Pennsylvania)	1940	(180, p. 336)	2
<i>Acer circinatum</i> Pursh.	Vine maple	United States (Washington)	1903	(202)	1
<i>Acer macrophyllum</i> Pursh.	Oregon maple	United States (Washington)	1903	(202)	1
		Canada (British Columbia)	1958	(235)	1
<i>Acer negundo</i> L.	Box elder	Canada	1942	(206)	1
<i>Acer negundo</i> L. var. <i>californica</i> Sarg.	California box elder	United States (California)	1949	(61)	1
<i>Acer nigrum</i> Michx. f.	Black maple	United States (Northeastern and North Central States)	1950	(291)	1
[ <i>Acer palmatum</i> Thunb.]	Japanese maple	England	1943	(175)	1
<i>Acer platanoides</i> L.	Norway maple	Germany	1899	(269)	1
		United States (New Jersey, Pennsylvania)	1931	(294)	4
		Russia	1935	(242)	1
[ <i>Acer pseudoplatanus</i> L.]	Sycamore	Switzerland	1956	(212)	1
<i>Acer pseudoplatanus</i> L.	Sycamore maple	Denmark, Germany, } Scotland, Switzerland }	1880	(217)	3
<i>Acer rubrum</i> L.	Red, scarlet or swamp maple	Canada	1942	(206)	1
		United States (Northeastern and North Central States)	1950	(291)	1
<i>Acer saccharinum</i> L.	Silver or white maple	Canada	1942	(206)	1
		United States (Northeastern and North Central States)	1950	(291)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Acer saccharum</i> Marsh.	Sugar or rock maple	United States (New York, Maine, New Jersey)	1921	(160, p. 297)	4
		Canada (Ontario)	1942	(206)	2
<i>Achillea millefolium</i> L.	Common yarrow	Greece	1939	(229)	1
<i>Acroporus fraxinifolius</i> Wright and Arn.		Tanganyika	1934	(273)	1
[ <i>Aesculus</i> sp.]	Horse chestnut	England	1948	(36)	1
<i>Aesculus</i> sp.		Denmark	1930	(95)	1
		United States	1950	(291)	1
<i>Aesculus hippocastanum</i> L.	Common horse chestnut	Germany, Holland	1899	(269)	2
<i>Aesculus pavia</i> L.	Red buckeye	Denmark	1883	(218)	1
<i>Afromosia angolensis</i> Harms	Mwanga	Nyasaland	1939	(155)	1
<i>Agave attenuata</i> Salm-Dyck.		United States (California)	1959	(211)	1
<i>Ailanthus altissima</i> Swingle	Tree of heaven	United States (New York, Pennsylvania)	1953	(292)	1
<i>Albizia distachya</i> Macb. ( <i>A. lophantha</i> Benth.)	Plume albizia	Ceylon	1928	(102)	2
<i>Albizia gummosa</i> C. A. Smith		Tanganyika	1947	(280)	1
<i>Albizia moluccana</i> Miq.		Tanganyika, Belgian Congo	1934	(273)	2
<i>Albizia sassa</i> Macbride	Chikwani	Nyasaland	1939	(155)	1
<i>Alchornea cordata</i> Muell.		Gold Coast	1927	(79)	1
<i>Alchornea cordifolia</i> Muell. Arg.		Gold Coast	1940	(80)	1
<i>Aleurites</i> sp.	Tung	Nyasaland	1940	(100)	2
<i>Aleurites fordii</i> Hemsl.	China-wood-oil or tung-oil tree	Australia Nyasaland	1934 1939	(187) (155)	1 1
<i>Aleurites montana</i> (Lour.) E. H. Wils.		Nyasaland	1939	(155)	1
[ <i>Allium cepa</i> L.]	Onion	England	1934	(198)	1
[ <i>Alnus</i> sp.]	Alder	Denmark, Norway, Switzerland	1880	(217)	2
		{ United States (Washington)}	1910	(151)	1
<i>Alnus glutinosa</i> Gaertn.	Black alder	Germany	1883	(218)	2
<i>Alnus rhombifolia</i> Nutt.	White alder	United States (California)	1940	(173)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Alnus rubra</i> Bong.		Canada (British Columbia)	1958	(235)	1
<i>Alsophila australis</i> R. Br.	Tree fern	United States (California)	1940	(173)	1
<i>Althea rosea</i> Cav.	Hollyhock	United States (California)	(1939)	(251)	1
<i>Amaryllis vittata</i> Ait.	Amaryllis	United States (California)	1958	(210)	1
<i>Amelanchier</i> sp.	Serviceberry	United States (New York)	1914	(158)	1
<i>Andromeda</i> sp.	Andromeda	England	1936	(8)	2
<i>Annona cherimola</i> Mill.	Cherimoya	United States (California)	1940	(173)	1
<i>Annona muricata</i> L.	Soursop, guanabana	Uganda	1926	(241)	1
<i>Araucaria</i> sp.		Transvaal	1953	(86)	1
<i>Araucaria angustifolia</i> Kuntze	Parana pine, candelabra tree	Nyasaland	1951	(150)	1
<i>Araucaria cunninghamii</i> Sweet	Moreton Bay pine, hoop pine	Kenya	1950	(90)	1
[ <i>Arbutus menziesii</i> Pursh.]	Madrone	United States (California)	1925	(120)	1
<i>Arbutus unedo</i> L.	Strawberry tree	United States (California)	1955	(209)	1
<i>Arecastrum romanoffianum</i> Becc.		United States (California)	1960	(62)	1
<i>Arundo donax</i> L.	Giant reed	United States (Maryland)	1950	(291)	1
<i>Asparagus officinalis</i> L.	Asparagus	United States (Oregon)	1926	(5)	1
<i>Baikieia</i> sp.		Belgian Congo	1949	(13)	1
<i>Bauhinia</i> sp.		Gold Coast, Tanganyika	{ 1924	(55)	2
<i>Begonia</i> sp.	Tuberous begonia	United States (California)	1937	(94, p. 233)	1
<i>Berberis</i> sp.	Barberry	England	1943	(175)	1
<i>Berberis darwinii</i> Hook.		United States (California)	1949	(61)	1
<i>Berberis nevinii</i> A. Gray ( <i>Mahonia nevinii</i> Fedde)		United States (California)	1949	(61)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Berberis thunbergii</i> DC.	Japanese barberry	United States (California)	1949	(61)	1
<i>Berberis wilsoniae</i> Hemsl. and Wils.		United States (California)	1949	(61)	1
<i>Bergenia cordifolia</i> Sternb.		United States (California)	<i>Ca.</i> 1930-49	(251)	1
[ <i>Beta vulgaris</i> L.]	Golden tankage beet, sugar beet	United States (California)	<i>Ca.</i> 1930-49	(253)	1
<i>Beta vulgaris</i> L.	Mangel	Canada (New Brunswick)	1942	(78)	1
[ <i>Betula</i> sp.]	Birch	Denmark, France, Switzerland }	1880	(217)	5
<i>Betula</i> sp.	Birch	Denmark	1930	(95)	1
		United States (Pennsylvania)	1959	(99)	1
[ <i>Betula lutea</i> Michx.]	Yellow birch	Canada	1953	(63)	3
<i>Betula lutea</i> Michx.	Yellow, gray or silver birch	United States (New England States)	1931	(243)	4
<i>Betula papyrifera</i> Marsh.	Canoe or paper birch	United States (New England States, Minnesota)	1931	(243)	2
		Canada (British Columbia)	1958	(235)	1
<i>Betula pendula</i> Roth ( <i>B. verrucosa</i> Ehrh.) ( <i>B. alba</i> L.)	European white birch	Germany, Denmark	1873	(116)	3
<i>Blighia sapida</i> Koenig		Gold Coast	1927	(79)	1
[ <i>Bougainvillea</i> sp.]	Bougainvillea	Tanganyika	1947	(278)	1
<i>Bougainvillea spectabilis</i> Willd.		Tanganyika	1949	(282)	1
<i>Brachystegia appendiculata</i> Benth.	Kamponi	Nyasaland	1939	(155)	1
<i>Brachystegia floribunda</i> Benth.	Tsamba	Nyasaland	1939	(155)	1
<i>Brachystegia longifolia</i> Benth. Mombo		Nyasaland	1939	(155)	1
[ <i>Brassica napobrassica</i> Mill.]	Rutabaga	United States (California)	<i>Ca.</i> 1930-49	(253)	1
<i>Bridelia micrantha</i> Baill.	Msopa	Nyasaland	1939	(155)	1
<i>Buddleja</i> sp.	Butterfly bush	United States (California)	(1928)	(251)	1
<i>Buddleja davidi</i> Franch.	Butterfly bush	United States (California)	1949	(61)	1
<i>Buddleja davidi</i> Franch. var. <i>magnifica</i> Rehd. and Wils.		United States (California)	1949	(61)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Burkea africana</i> Hook.	Mkalati	Nyasaland	1939	(155)	1
<i>Buzus sempervirens</i> L.	Common box	United States (New Jersey)	1950	(291)	1
<i>Buzus sempervirens</i> L. var. <i>suffruticosa</i> L.		United States (New Jersey)	1931	(294)	1
<i>Cajanus cajan</i> Millsp. ( <i>C. indicus</i> Spreng.)	Pigeon pea, cajan	Tanganyika, Nyasaland	1935	(275)	2
<i>Callistemon viminalis</i> Cheel.	Bottle brush	United States (California)	1959	(211)	1
<i>Callitris</i> sp.		Nyasaland	1951	(150)	1
<i>Calluna vulgaris</i> Hull	Heather	Scotland, Belgium	1927	(1)	3
<i>Calodendron</i> sp.	Cape chestnut	Tanganyika	1934	(273)	1
<i>Camellia japonica</i> L.	Camellia	United States (California)	(1936)	(251)	1
[ <i>Canna</i> sp.]	Canna	England	1934	(198)	1
<i>Canna indica</i> L.	Indian shot	England	1928	(26)	1
<i>Capsicum</i> sp.	Pepper	Gold Coast	1927	(79)	1
<i>Capsicum frutescens</i> L. ( <i>C. annuum</i> L.)	Pepper	Gold Coast	1940	(80)	1
[ <i>Carica papaya</i> L.]	Papaya, papaw	Tanganyika	1947	(280)	1
<i>Carica papaya</i> L.	Papaw	Tanganyika	1947	(281)	1
[ <i>Carpinus</i> sp.]		Denmark	1880	(217)	2
<i>Carpinus</i> sp.		Denmark	1930	(95)	1
<i>Carpinus betulus</i> L.	European hornbeam	Denmark, Germany	1883	(218)	2
<i>Carpinus caroliniana</i> Walt.	American hornbeam	United States (Florida)	1950	(291)	1
<i>Carya</i> sp.		United States (California)	1952	(292)	1
<i>Carya illinoensis</i> Koch	Pecan	United States	1952	(292)	1
<i>Caryopteris clandonensis</i> Simmonds		United States (California)	1959	(211)	1
<i>Cassia fistula</i> L.	Golden shower, pudding-pipe tree	United States (California)	Ca. 1930-49	(251)	1
<i>Cassia siamea</i> Lam. ( <i>C. florida</i> Vahl.)		Uganda	1923	(238)	1
<i>Cassia tomentosa</i> L. f.		United States (California)	1959	(211)	1
[ <i>Castanea</i> sp.]	Chestnut	France, Italy, Switzerland, Germany, Greece	{ 1878}	(203)	16

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
		United States (New York, North Carolina)	1914	(158)	1
		Australia	1954	(185)	1
<i>Castanea alabamense</i> Ashe		United States (Virginia to Alabama)	1950	(291)	1
<i>Castanea dentata</i> Borkh.	American chestnut	United States (California, New York, New Jersey, North Carolina, Tennessee, Virginia, Pennsylvania)	1948	(255)	3
<i>Castanea mollissima</i> Blume	Chinese chestnut	United States (California)	Ca. 1930-49	(252)	1
<i>Castanea ozarkensis</i> Ashe		United States (Arkansas and Missouri)	1950	(291)	1
<i>Castanea pumila</i> (L.) Mill.	Chinquapin	United States (Virginia to Alabama, Arkansas, Missouri)	1950	(291)	1
<i>Castanea sativa</i> Mill.	Spanish or Eurasian chestnut	Germany United States (California)	1899 1948	(269) (255)	1 1
<i>Castanopsis chrysophylla</i> (Hook.) A. DC.	Giant chinquapin	United States (Oregon, Washington) Canada (British Columbia)	1938	{(31)}	1
<i>Casuarina</i> sp.		Nyasaland, Tanganyika	1935	(275)	2
<i>Casuarina equisetifolia</i> L.	Horsetail tree, filao	Mauritius	1951	(189)	1
<i>Casuarina stricta</i> Dry.		United States (California)	1946	(39)	1
<i>Catalpa speciosa</i> Warden	Western catalpa	United States (Washington)	1939	(179, p. 264)	1
<i>Ceanothus</i> sp.		England United States (California)	1936 1940	{(8) (173)}	2 1
<i>Ceanothus arboreus</i> Greene	Catalina or foltleaf ceanothus	United States (California)	1955	(209)	1
<i>Ceanothus thyrsiflorus</i> Esch.	Blue blossom	United States (California)	1959	(211)	1
<i>Cedrela</i> sp.		Nyasaland	(1927)	(296)	1
<i>Cedrela odorata</i> L.	West Indian or Spanish cedar	Union of South Africa, Tanganyika, Nyasaland	1932	{(204)}	2

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Cedrela toona</i> Roxb.		Nyasaland, Union of South Africa, Tanganyika }	1928	(57)	4
[ <i>Cedrus deodara</i> Loud.]	Deodar cedar	England United States (Mississippi) India India	1925 1926 1952 1954	(113) (7) (18) (19)	1 1 2 1
<i>Cedrus deodara</i> Loud.	Deodar cedar	Gold Coast	1940	(80)	1
<i>Ceiba petandra</i> Gaertn.		United States (Texas)	1936	(93, p. 243)	1
<i>Celtis</i> sp.	Hackberry	Italy	1899	(231)	1
<i>Celtis australis</i> L.		United States (Texas)	1953	(292)	1
<i>Celtis laevigata</i> Willd.	Sugarberry, Mississippi hackberry	United States	1953	(292)	1
<i>Celtis occidentalis</i> L.		United States	1959	(211)	1
<i>Cercidiphyllum japonicum</i> Sieb. and Zucc.	Katsura tree	United States (California)	1959	(211)	1
<i>Cercis canadensis</i> L.	Redbud	United States (California)	1959	(211)	1
<i>Chamaecyparis</i> sp.		United States (Virginia) Canada (British Columbia)	1950 1958	(291) (235)	1 1
[ <i>Chamaecyparis lawsoniana</i> Parl.]	Lawson cypress	England	1946	(113)	1
<i>Chamaecyparis lawsoniana</i> Parl.	Lawson cypress	New Zealand United States (California)	1937 1949	(35) (61)	2 1
<i>Chamaecyparis obtusa</i> Sieb. and Zucc.	Hinoki cypress	Germany United States (California)	1878 1955	(118) (209)	1 1
<i>Chamaecyparis thyoides</i> BSP. White cedar ( <i>C. sphaeroidea</i> Spach)		Germany United States (Southeastern States)	1878 1931	(118) (147)	1 1
<i>Chenopodium</i> sp.		United States (California)	Ca. 1930-49	(253)	1
[ <i>Chlorophora excelsa</i> Benth. and Hook.]	Odum	Gold Coast	1926	(112)	2
<i>Chlorophora excelsa</i> Benth. and Hook.	Mvule, odum	Gold Coast, Tanganyika }	1927	(79)	4
<i>Choisya ternata</i> HBK.	Mexican orange	United States (California)	1949	(61)	2
<i>Cinchona</i> sp.		Dutch East Indies Nyasaland, Belgian Congo, Tanganyika }	1921 1935	(261) (275)	5 5

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Cinchona ledgeriana</i> Moens		Belgian Congo, Tanganyika }	1944	(121)	2
<i>Cinchona officinalis</i> L.		Java	1917	(213)	1
		Peru	1948	(77)	1
<i>Cinchona robusta</i> Trim.		Java	1917	(213)	1
<i>Cinnamomum camphora</i> Nees and Eberm.	Camphor tree	United States (California)	1937	(94, p. 225)	2
		Tanganyika	1951	(279)	1
<i>Cissus capensis</i> Willd.		United States (California)	(1944)	(251)	1
[ <i>Citrus</i> sp.]	Citrus	United States (California)	1912	(130)	12
		Australia	1914	(81)	7
		Sicily, Malta, Jugoslavia }	1929	(199)	5
		Dutch East Indies, Java }	1937	(260)	3
		Patagonia, Brazil, Chile }	1953	(237)	1
	Orange	United States (California)	1912	(130)	2
		Australia	1921	(37)	2
	Orange, lemon	Nyassaland, Libya	(1931)	(296)	2
		Tunisia, Malta, Greece }	1932	(69)	3
[ <i>Citrus aurantifolia</i> Swingle]	Lime	Uganda, Gold Coast	1923	(238)	2
<i>Citrus aurantifolia</i> Swingle	Lime	Cyprus	1932	(181)	1
		Tanganyika, Gold Coast }	1935	(274)	2
<i>Citrus aurantium</i> L.	Sour or Seville orange	United States (California)	1926	(5)	2
		Tanganyika	1934	(273)	1
		Australia	1934	(187)	1
[ <i>Citrus limon</i> Burm. f.]	Lemon	United States (California)	1912	(97)	1
		Tanganyika	1930	(270)	1
<i>Citrus limon</i> Burm. f. ( <i>C. limonum</i> Risso) ( <i>C. limonia</i> Osbeck)	Lemon	Australia	(1898)	(187)	1
		United States (California)	1926	(5)	1
		Tanganyika, Nyasaland }	1935	(275)	2
[ <i>Citrus medica</i> L.]	Citron	Greece	1959	(107)	1
<i>Citrus medica</i> L.	Citron	Crete	1939	(3)	1
<i>Citrus paradisi</i> Macf.	Grapefruit	United States (California)	(1936)	(252)	1
<i>Citrus paradisi</i> Macf. × <i>C. reticulata</i> Blanco	Sampson tangelo	United States (California)	1946	(39)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
[ <i>Citrus reticulata</i> Blanco]	Mandarin	Greece	1939	(229)	1
<i>Citrus reticulata</i> Blanco ( <i>C. nobilis</i> Andr.)		Greece	1936	(228)	1
		United States (California)	(1936)	(252)	1
<i>Citrus sinensis</i> Osbeck	Sweet orange	Australia	(1898)	(187)	1
		Cyprus	1937	(182)	1
		United States (California)	1941	(38)	2
		Tanganyika	1949	(282)	1
[ <i>Cocos nucifera</i> L.]	Coconut	Gold Coast	1927	(79)	1
<i>Cocos nucifera</i> L.	Coconut	Gold Coast	1940	(80)	1
[ <i>Coffea</i> sp.]	Coffee	Java, Philippines, New Guinea	1907	(83)	4
		Gold Coast, Tanganyika, Kenya, Uganda, Nyasaland, Madagascar, French Equatorial Africa, Belgian Congo	1924	(55)	21
<i>Coffea</i> sp.		Ituri	1954	(101)	1
		Gold Coast	1940	(80)	1
<i>Coffea arabica</i> L.	Common or Arabian coffee	Uganda, Madagascar, Nyasaland, Tanganyika, Kenya Peru	1923	(239)	4
			1946	(234)	2
<i>Coffea canephora</i> Pierre		Belgian Congo	1948	(245)	1
<i>Coffea robusta</i> Hort.		Uganda	1935	(275)	1
[ <i>Cola acuminata</i> Schott and Endl.]	Cola or goora nut	Gold Coast	1926	(112)	1
<i>Cola acuminata</i> Schott and Endl.	Kola	Gold Coast	1927	(79)	1
<i>Colocasia antiquorum</i> Schott	Cocoyam	Gold Coast	1940	(80)	1
<i>Combretum</i> sp.		Gold Coast	1927	(79)	1
<i>Combretum gueinzii</i> Sond.	Kabini	Nyasaland	1939	(155)	1
<i>Coprosma baueri</i> Endl.	Coprosma, mirror plant	United States (California)	1949	(61)	1
<i>Cornus</i> sp.	Dogwood	United States (New York)	1939	(285)	1
<i>Cornus florida</i> L.	Flowering dogwood	United States (New York, Washington)	1950	(291)	2
<i>Cornus nuttallii</i> Audubon	Pacific dogwood	United States (Washington)	1950	(291)	1
<i>Cortaderia selloana</i> Aschers. and Graebn.	Pampas grass	United States (California)	(1944)	(251)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
[ <i>Corylus</i> sp.]	Cobnut	England	1925	(301)	1
<i>Corylus</i> sp.		Denmark	1930	(95)	1
<i>Corylus avellana</i> L.	Common or European filbert	Germany, Norway	1899	(269)	2
		United States (Oregon, Washington)	1934	(174)	3
[ <i>Corylus maxima</i> Mill.]	Filbert	United States (Oregon)	1935	(92, p. 58)	3
<i>Corylus maxima</i> Mill. ( <i>C. tubulosa</i> Willd.)	Filbert	Italy	1899	(15)	1
<i>Corylus rostrata</i> Ait. var. <i>californica</i> A. DC.	California hazel	United States (California)	1919	(96)	1
<i>Cotoneaster</i> sp.	Cotoneaster	Scotland, England	1941	(84)	2
<i>Cotoneaster dielsiana</i> Pritz.		United States (California)	1949	(61)	1
<i>Cotoneaster franchetii</i> Bois	Cotoneaster	United States (California)	1949	(61)	1
<i>Cotoneaster frigida</i> Lindl.		United States (California)	1949	(61)	1
<i>Cotoneaster harroviana</i> Wils.		United States (California)	1949	(61)	1
<i>Cotoneaster horizontalis</i> Decne.		United States (California)	1949	(61)	1
<i>Cotoneaster microphylla</i> Lindl.		United States (California)	1949	(61)	1
<i>Cotoneaster pannosa</i> Franch.		United States (California)	1949	(61)	1
<i>Cotoneaster rotundifolia</i> Lindl. var. <i>lanata</i> Schneid. ( <i>C. buxifolia</i> Baker)		United States (California)	1949	(61)	1
<i>Cotoneaster salicifolia</i> Franch. var. <i>floccosa</i> Rehd. and Wils.		United States (California)	1949	(61)	1
<i>Crassula</i> sp.		United States (California)	1937	(94, p. 235)	1
<i>Crassula argentea</i> Thunb.		United States (California)	1950	(291)	1
[ <i>Crataegus</i> sp.]	Hawthorn	England	1934	(198)	2
<i>Crataegus</i> sp.		Germany, England, Denmark	1903	(122)	3
		United States	1953	(292)	1
<i>Crataegus monogyna</i> Jacq.		Germany	1873	(116)	1
<i>Crataegus oxyacantha</i> L.	English hawthorn	Denmark	1883	(218)	1
<i>Crocus sativus</i> L.	Saffron crocus	Japan	1954	(302)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Crotalaria</i> sp.		Tanganyika	1935	(275)	1
[ <i>Cupressus</i> sp.]	Cypress	Kenya	1960	(110)	1
<i>Cupressus</i> sp.		Australia	(1923)	(187)	1
		England	1934	(198)	2
		Transvaal, Kenya	1950	(90)	2
		United States (California)	1953	(14)	1
<i>Cupressus arizonica</i> Greene	Rough-barked Arizona cypress	United States (California)	(1933)	(251)	1
<i>Cupressus forbesii</i> Jepson	Tecate cypress	United States (California)	1948	(268)	1
<i>Cupressus lusitanica</i> Mill.	Portuguese cypress	Tanganyika	1934	(273)	1
<i>Cupressus macrocarpa</i> Hartw.	Monterey cypress	United States (California)	1948	(268)	1
		Kenya	1950	(183)	1
<i>Cydonia oblonga</i> Mill. ( <i>C. vulgaris</i> Pers.)	Quince	United States (California)	<i>Ca.</i> 1930-49	(252)	2
<i>Cyphomandra betacea</i> Sendt.	Tree tomato	Tanganyika	1934	(273)	1
[ <i>Cytisus</i> sp.]	Broom	England	1937	(30)	2
<i>Cytisus</i> sp.		Denmark	1930	(95)	1
<i>Cytisus racemosus</i> Nichols		United States (California)	1949	(61)	1
<i>Cytisus scoparius</i> Link ( <i>Sarothamnus scoparia</i> Wimm.)	Scotch broom	Germany	1899	(269)	1
<i>Dacrydium cupressinum</i> Soland.	Rimu	New Zealand	1937	(35)	1
[ <i>Dahlia</i> sp.]	Dahlia	Greece	1939	(229)	1
<i>Dahlia</i> sp.		United States (California)	1934	(254)	2
<i>Dalbergia nitidula</i> Welw. ex Baker	Zinyambazo	Nyasaland	1939	(155)	1
<i>Daphne mezereum</i> L.		England	1948	(176)	1
<i>Daphne odora</i> Thunb.		United States (California)	(1936)	(251)	1
[ <i>Daucus carota</i> L. var. <i>sativa</i> DC.]	Carrot	Australia	1932	(227)	1
		England	1939	(9)	2
<i>Daucus carota</i> L.	Carrot	United States (California)	1934	(254)	1
<i>Davidia</i> sp.	Dove tree	England	1943	(175)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Delonix regia</i> Raf. ( <i>Poinciana regia</i> Bojer)	Royal poinciana, peacock flower, flamboyant	Nyasaland, Union of South Africa }	1928	(57)	2
<i>Deutzia scabra</i> Thunb.		United States (California)	1955	(209)	1
<i>Dioscorea</i> sp.	Yam	Tanganyika	1953	(284)	1
<i>Diospyros kaki</i> L. f.	Kaki, Japanese persimmon	United States (California)	1940	(173)	2
<i>Diospyros lotus</i> L.	Date plum	United States (California)	1948	(255)	1
<i>Diospyros texana</i> Scheele	Texas or black persimmon	United States (California)	1950	(291)	1
<i>Diospyros virginiana</i> L.	Common persimmon	United States (California)	1948	(255)	1
<i>Duranta</i> sp.	Duranta	Australia	(1921)	(187)	1
<i>Elaeagnus commutata</i> Bernh. ( <i>E. argentea</i> Pursh)	Silverberry	United States (California)	1949	(61)	1
<i>Elaeagnus pungens</i> Thunb.	Oleaster	Australia	1934	(187)	1
<i>Elaeis guineensis</i> Jacq.	Oil palm (ternera, dura, deli and sterile types)	Gold Coast, Belgian Congo }	1927	(79)	2
<i>Erica carnea</i> L.	Spring heath	United States (California)	1959	(211)	1
[ <i>Eriobotrya japonica</i> Lindl.]	Japanese medlar	Italy, Greece	1887	(230)	2
<i>Eriobotrya japonica</i> Lindl. ( <i>Mespilus japonica</i> Thunb.)	Loquat	United States (California)	1926	(73)	1
		Tanganyika, Union of South Africa }	1937	(276)	2
<i>Eryngium alpinum</i> L.		Switzerland	1956	(212)	1
<i>Erythrina</i> sp.		Gold Coast, Tan- ganyika, Uganda }	1924	(55)	3
<i>Erythrina lithosperma</i> Blume		Tanganyika	1935	(275)	1
<i>Erythrophloeum guineense</i> G. Don.		Belgian Congo	1948	(245)	1
<i>Erythroxylon coca</i> Lam.	Coca	Peru	1948	(77)	1
<i>Escallonia</i> sp.		United States (California)	1957	(287)	1
<i>Escallonia franciscana</i> Eastw.		United States (California)	1949	(61)	1
<i>Escallonia macrantha</i> Hook. and Arn.		United States (California)	1949	(61)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Escallonia montevidensis</i> DC.		United States (California)	1949	(61)	1
<i>Escallonia pulverulenta</i> Pers. ( <i>E. berteriana</i> DC.)		United States (California)	1949	(61)	1
[ <i>Eucalyptus</i> sp.]	Eucalyptus	Kenya	1960	(110)	1
<i>Eucalyptus</i> sp.	Gum	Gold Coast, Tanganyika, Uganda, Transvaal, Nyasaland	1924	(55)	5
		Australia	1934	(187)	1
		United States (California)	1952	(292)	1
<i>Eucalyptus globulus</i> Labill.	Tasmanian blue gum	Tanganyika	1934	(273)	1
		United States (California)	1940	(173)	1
<i>Eucalyptus maculata</i> Hook. var. <i>citriodora</i> Bailey ( <i>Eucalyptus citriodora</i> Hook.)	Lemon-scented spotted gum	Tanganyika	1934	(273)	1
		United States (California)	1959	(211)	1
<i>Eucalyptus paniculata</i> Smith	White ironbark, red ironbark	Union of South Africa	1932	(204)	2
<i>Eucalyptus rufa</i> Endl.	Desert gum, moitch	United States (California)	1959	(211)	1
<i>Euonymus</i> sp.	Spindle tree	United States (California)	(1941)	(252)	1
<i>Euonymus japonicus</i> L.		England, Greece	1933	(28)	4
		United States (California)	1949	(61)	1
<i>Euonymus japonicus</i> L. var. <i>aureomarginatus</i> Rehd.		United States (California)	1949	(61)	1
<i>Euphorbia pulcherrima</i> Willd.	Poinsettia	Australia	(1927)	(187)	1
		United States (California)	1959	(211)	1
[ <i>Fagus</i> sp.]	Beech	France, Denmark, Belgium, Russia, Holland, Bavaria, Jugoslavia, England	1877	(144)	9
<i>Fagus</i> sp.		Denmark	1902	(220)	2
		Australia	1937	(35)	1
		United States (Pennsylvania)	1959	(99)	1
<i>Fagus grandifolia</i> Ehrh.	American beech	Canada	1942	(206)	1
		United States (Connecticut, New York, New Jersey, Ohio)	1950	(291)	1
<i>Fagus menziesii</i> Hook.	Silver beech	Australia	1937	(34)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Fagus sylvatica</i> L.	European beech	Germany, Denmark, Scotland, Norway United States (Connecticut, New Jersey, New York, Ohio)	1873 1950	(116) (291)	5 1
<i>Fatsia japonica</i> Decne. and Planch. ( <i>Aralia sieboldii</i> Hort.)		Italy	1886	(23)	1
<i>Faurea saligna</i> Harv.	Chilimbu	Nyasaland	1939	(155)	1
<i>Ficus</i> sp.		Gold Coast, Tan- ganyika, Uganda	1924	(55)	3
<i>Ficus asperifolia</i> Miq.	Sandpaper tree	Gold Coast	1927	(79)	1
[ <i>Ficus carica</i> L.]	Fig	North Africa England, Greece, France	1923 1934	(257) (29)	1 5
<i>Ficus carica</i> L.	Black mission fig, kadota fig	United States (California)	1948	(255)	2
<i>Fragaria</i> sp.		Australia United States (Oregon)	(1912) 1926	(187) (5)	1 1
[ <i>Fragaria chiloensis</i> Duchesne var. <i>ananassa</i> Bailey]	Strawberry	England, Scotland United States (Oregon, Washington, Massachusetts)	1928 1928	(49) (32, p. 187)	4 7
<i>Fragaria chiloensis</i> Duchesne var. <i>ananassa</i> Bailey		Canada (British Columbia, Nova Scotia)	1942	(78)	1
		United States (California)	1960	(62)	1
[ <i>Fraxinus</i> sp.]	Ash	Germany	1896	(71)	2
<i>Fraxinus</i> sp.		Denmark	1930	(95)	1
<i>Fraxinus americana</i> L.	White ash	Canada	1942	(206)	1
<i>Fraxinus excelsior</i> L.	European ash	Germany, England	1899	(269)	2
<i>Fraxinus nigra</i> Marsh.	Black ash	Canada	1942	(206)	1
<i>Fraxinus ornus</i> L.	Flowering ash	Hungary	1879	(98)	1
<i>Fraxinus pennsylvanica</i> Marsh.	Red ash	Canada	1942	(206)	1
<i>Fremontia mexicana</i> Macb.		United States (California)	1959	(211)	1
<i>Fuchsia</i> sp.	Fuchsia	United States (California)	1957	(287)	1
<i>Fuchsia hybrida</i> Voss	Fuchsia	United States (California)	1958	(210)	1
<i>Funtumia africana</i> Stapf		Gold Coast	1927	(79)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Galeola septentrionalis</i> Reichb.		Japan	1939	(114)	1
<i>Garrya elliptica</i> Dougl.	Silk tassel bush	England	1943	(175)	1
<i>Gastrodia elata</i> Blume		Japan	1911	(149)	2
<i>Genista</i> sp.	Broom	England United States (California)	1934 1940	(29) (180, p. 361)	2 1
<i>Gliricida sepium</i> Steud. ( <i>G. maculata</i> Steud.)	Madre	Nyasaland	1936	(154)	1
<i>Gossypium hirsutum</i> L.	Cotton	Belgian Congo	1948	(245)	1
<i>Grevillea</i> sp.		Ceylon	1930	(103)	1
<i>Grevillea robusta</i> Cunn.	Silk oak	Tanganyika, Kenya, Union of South Africa United States (California)	1930 1949	(270) (61)	4 1
<i>Hagenia anthelmintica</i> J. F. Gmel.		Tanganyika	1949	(282)	1
<i>Hakea laurina</i> R. Br.	Sea urchin	United States (California)	1959	(211)	1
<i>Harungana madagascariensis</i> Poir.		Nyasaland	1939	(155)	1
<i>Hebe andersonii</i> Cockayne		United States (California)	1949	(61)	1
<i>Hebe speciosa</i> Cockayne and Allan		United States (California)	1949	(61)	1
<i>Helianthus annuus</i> L.	Common sunflower	United States (Oregon)	1926	(5)	1
<i>Heteromeles arbutifolia</i> Roem.	Toyon, Christmas ( <i>Photinia arbutifolia</i> Lindl.) berry	United States (California)	1949	(61)	1
<i>Heuchera</i> sp.		England	1934	(29)	1
<i>Heuchera sanguinea</i> Engelm.	Coral bells	United States (California)	Ca. 1930-49	(251)	1
[ <i>Hevea</i> sp.]	Rubber	Uganda	1924	(240)	1
<i>Hevea</i> sp.	Rubber	Belgian Congo, Uganda	1946	(85)	5
[ <i>Hevea brasiliensis</i> Muell.]	Para rubber	Gold Coast	1924	(55)	1
<i>Hevea brasiliensis</i> Muell.	Para rubber	Malaya Uganda, Belgian Congo, Nyasaland	1908 1938	(105) (115)	1 3
<i>Hibiscus</i> sp.	Hibiscus	Gold Coast, Uganda United States (California)	1924 1960	(55) (62)	2 1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Hibiscus esculentus</i> L.	Okra, gumbo	Gold Coast	1927	(79)	1
<i>Hibiscus rosasinensis</i> L.	Rose of China	Tanganyika	1935	(275)	1
<i>Hibiscus syriacus</i> L.	Rose of Sharon	United States (California)	1959	(211)	1
<i>Hicoria</i> sp.	Hickory	United States (Indiana)	1926	(5)	1
[ <i>Humulus</i> sp.]	Hops	England, Greece United States (Oregon) Australia	1936 1949 1959	(8) (126) (247)	3 1 1
<i>Humulus lupulus</i> L.	European hops	United States (Oregon)	1926	(5)	1
<i>Hydnocarpus</i> sp.	Chaulmoogra oil	Uganda	1938	(115)	1
<i>Hydnocarpus anthelminthicus</i> Pierre		Belgian Congo	1948	(12)	1
<i>Hydrangea</i> sp.		United States (California)	(1942)	(251)	1
<i>Hydrangea macrophylla</i> Ser.		United States (California)	1960	(62)	1
<i>Hymenocardia acida</i> Tul.		Belgian Congo	1949	(13)	1
<i>Hypericum patulum</i> Thunb. var. <i>henryi</i> Bean		United States (California)	1949	(61)	1
<i>Hypericum prolificum</i> L.		United States (California)	1959	(211)	1
[ <i>Ilex</i> sp.]	Holly	England	1943	(175)	1
<i>Impatiens oliveri</i> Wright		United States (California)	1958	(210)	1
<i>Iris kaempferi</i> Sieb.	Japanese iris	England	1932	(297)	2
<i>Isobellinia globiflora</i> (Benth.) Cumbe Hutch ex Greenway	Cumbe	Nyasaland	(1933)	(296)	1
<i>Jacaranda</i> sp.		Tanganyika	1934	(273)	1
<i>Jacaranda acutifolia</i> Humb. and Bonpl. ( <i>J. mimisifolia</i> D. Don)		Uganda United States (California)	1923 1950	(238) (291)	1 1
<i>Jasminum</i> sp.	Jasmine (yellow)	United States (California)	(1933)	(251)	1
[ <i>Juglans</i> sp.]	Walnut	Italy, France, Czechoslovakia, England, Hungary, Greece	1887	(230)	24
<i>Juglans</i> sp.		France Australia	1927 (1928)	(89) (187)	1 1
<i>Juglans hindsii</i> Jepson	California black walnut	United States (Oregon, California)	1937	(94, p. 175)	8

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Juglans nigra</i> L.	Black walnut	France United States (Oregon, Pennsylvania)	1923 1926	(106) (5)	1 2
[ <i>Juglans regia</i> L.]	English or Persian walnut	United States (California, Oregon)	1912	(130)	14
<i>Juglans regia</i> L.	Persian walnut	Germany, Italy Chile United States (Oregon, California, Washington)	1899 (1901) 1926	(269) (178) (5)	2 2 10
<i>Juniperus</i> sp.		Denmark	1902	(220)	1
[ <i>Juniperus chinensis</i> L.]	Chinese juniper	England	1943	(175)	1
<i>Juniperus chinensis</i> L. var. <i>procumbens</i> Endl.		United States (California)	(1939)	(251)	1
<i>Juniperus communis</i> L.	Common juniper	Denmark	1883	(218)	1
<i>Juniperus horizontalis</i> Moench	Creeping juniper	United States (California)	1955	(209)	1
<i>Juniperus procera</i> Hochst.	African juniper	South Africa	1932	(204)	1
<i>Kalmia latifolia</i> L.	Mountain laurel, calico bush	United States (Maryland)	1950	(291)	1
<i>Kerria japonica</i> DC.		United States (California)	1949	(61)	1
[ <i>Khaya</i> sp.]	Mahogany	Gold Coast	1926	(112)	1
<i>Khaya</i> sp.	African mahogany	Gold Coast	1928	(57)	1
<i>Koelreuteria paniculata</i> Laxm.	Goldenrain tree	United States (California)	1959	(211)	1
<i>Laburnum</i> sp.		England	1937	(30)	2
<i>Laburnum anagyroides</i> Medic. ( <i>Cytisus laburnum</i> L.)	Golden chain, bean tree	Denmark United States (California)	1883 1959	(218) (211)	1 1
<i>Lagerstroemia indica</i> L.	Crape myrtle	Italy	1899	(15)	1
<i>Lannea</i> sp.	Zidyatungu	Nyasaland	1939	(155)	1
[ <i>Lariz</i> sp.]	Larch	Germany, England, Switzerland United States (Idaho, Montana)	1874 1923	(117) (290)	5 1
[ <i>Larix decidua</i> Mill.]	European larch	England	1958	(113)	1
<i>Larix decidua</i> Mill. ( <i>L. europaea</i> DC.)	European larch	Germany, Denmark, England	1873	(116)	5
[ <i>Larix leptolepis</i> Gord.]	Japanese larch	England	1946	(113)	1
<i>Larix leptolepis</i> Gord. ( <i>L. japonica</i> Carr.)	Japanese larch	Germany, Belgium	1896	(4)	2

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Larix occidentalis</i> Nutt.	Western tamarack	United States (Montana, Idaho)	1953	(292)	1
[ <i>Larix sibirica</i> Ledeb.]	Siberian larch	Russia	1926	(225)	1
[ <i>Laurus</i> sp.]	Laurel	Italy, England	1886	(23)	2
[ <i>Lavandula</i> sp.]	Lavender	England	1939	(9)	1
<i>Lavandula</i> sp.	Lavender	Greece	1936	(228)	2
<i>Lavandula officinalis</i> Chaix	Lavender	United States (Texas)	1952	(292)	1
<i>Lavandula officinalis</i> Chaix ( <i>L. vera</i> DC.) × <i>L. latifolia</i> Vill.	Hybrid lavender	France	1932	(41)	1
<i>Leptospermum laevigatum</i> F. Muell.	Australian tea tree	United States (California)	1949	(61)	1
<i>Leucaena glauca</i> Benth.	White popinac	Sumatra Belgian Congo	1931 1948	(244) (245)	1 1
<i>Libocedrus decurrens</i> Torr.		Germany	1910	(184)	1
[ <i>Ligustrum</i> sp.]	Privet	England, Holland United States (Texas)	1926 1935	(196) (250)	4 1
<i>Ligustrum</i> sp.	Privet	United States (Mississippi, Arkansas) Australia England	1925 (1933) 1934	(163, p. 404) (187) (198)	2 1 1
<i>Ligustrum japonicum</i> Thunb.		United States (California)	1949	(61)	1
<i>Ligustrum vulgare</i> L.	Common privet	Scotland, Holland United States (California)	1941 1949	(84) (61)	2 1
[ <i>Limonium latifolium</i> Kuntze]	Statice, sea lavender	England	1929	(197)	2
<i>Liquidambar styraciflua</i> L.	Sweet gum	United States (California)	1955	(209)	1
<i>Liriodendron tulipifera</i> L.	Tulip tree, whitewood, yellow poplar	Scotland United States (Appalachian Mountain Region)	1941 1937	(84) (123)	1 1
<i>Lithocarpus densiflorus</i> Rehd.	Tanbark oak	United States (California)	1959	(211)	1
<i>Lonicera morrowii</i> Gray		United States (Appalachian Mountain Region)	1950	(291)	1
<i>Lonicera xylosteum</i> L.	European fly honeysuckle	Switzerland	1956	(212)	1
[ <i>Lupinus</i> sp.]	Lupine	England	1943	(175)	1
<i>Lupinus</i> sp.	Lupine	United States (California)	1952	(292)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Lupinus polyphyllus</i> Lindl.		England	1934	(198)	2
[ <i>Lycopersicon esculentum</i> Mill.]	Tomato	England	1948	(176)	1
<i>Maesa</i> sp.	Chinuni	Nyasaland	1939	(155)	1
<i>Magnolia grandiflora</i> L.		Italy	1899	(15)	1
<i>Mahonia aquifolium</i> Nutt. ( <i>Berberis aquifolium</i> Pursh)	Holly mahonia or barberry	United States (California)	1949	(61)	1
[ <i>Malus</i> sp.]	Apple	Italy, England, Holland, Spain, Switzerland, Germany, Bohemia, Norway, Greece Australia United States (Washington, Oregon, Illinois, New York, Oklahoma, Alabama, Texas, California, Arkansas, West Virginia, Wisconsin, Iowa, Delaware, Pennsylvania, Georgia, Michigan, Minnesota Tennessee, Mississippi, Ohio, North Carolina) Canada (British Columbia) Rhodesia, Kenya, Tanganyika, Belgian Congo	1895 1902 1903	(194) (167) (202)	27 10 32
[ <i>Malus</i> sp.]	French crab apple	United States (California)	1948	(255)	1
<i>Malus baccata</i> (L.) Borkh.	Siberian crab apple	United States (California)	(1937)	(252)	1
<i>Malus fusca</i> (Raf.) Schneid. ( <i>Pyrus rivularis</i> Dougl.)		United States (Washington)	1903	(202)	1
<i>Malus hupehensis</i> Rehd.		United States (California)	1959	(211)	1
<i>Malus ioensis</i> Britt.		United States (California)	(1937)	(252)	1
<i>Malus prunifolia</i> (Willd.) Borkh.		United States (California)	(1937)	(252)	1
<i>Malus sargentii</i> Rehd.		United States (California)	(1937)	(252)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Malus sylvestris</i> Mill. ( <i>Pyrus malus</i> L.)	Apple, French crab	Germany, Denmark Australia United States (Pacific North West) Tanganyika United States (California)	1899 (1909) 1926 1949 (1937)	(269) (187) (5) (282) (252)	3 1 2 1 1
<i>Malus sylvestris</i> Mill. var. <i>eleyi</i> Bailey					
<i>Malus sylvestris</i> Mill. var. <i>paradisiaca</i> Bailey ( <i>M.</i> <i>pumila</i> Mill.)	Apple	Canada (British Columbia)	1942	(78)	1
<i>Malus torquata</i> Hughes		United States (California)	1959	(211)	1
[ <i>Mangifera indica</i> L.]	Mango	Gold Coast, Uganda, Nyasaland	1924	(55)	8
<i>Mangifera indica</i> L.	Mango	Gold Coast, Uganda, Nyasaland	1928	(57)	3
[ <i>Manihot</i> sp.]	Cassava	Gold Coast, Belgian Congo, Tanganyika, Uganda Brazil	1925 1935	(56) (191)	4 1
<i>Manihot esculenta</i> Crantz ( <i>M. utilissima</i> Pohl)	Cassava	Tanganyika, Uganda, Gold Coast	1935	(275)	3
[ <i>Manihot glaziovii</i> Muell.]	Ceara rubber tree, manisoba	Tropical Africa	1924	(55)	1
<i>Manihot glaziovii</i> Muell.	Ceara rubber	Uganda	1935	(275)	1
<i>Maytenus boaria</i> Molina	Mayten	United States (California)	1959	(211)	1
<i>Medicago sativa</i> L.	Alfalfa	United States (California)	1937	(94, p. 150)	1
<i>Melaleuca genistifolia</i> Smith		United States (California)	1959	(211)	1
<i>Melaleuca hypericifolia</i> Smith		United States (California)	1949	(61)	1
<i>Melaleuca leucadendra</i> L.	Cajeput tree, punk tree	United States (California)	1959	(211)	1
[ <i>Mespilus germanica</i> L.]	Medlar	England	1934	(198)	1
<i>Metasequoia glyptostroboides</i> Hu and Cheng	Dawn redwood	England	1958	(190)	1
[ <i>Morus</i> sp.]	Mulberry	Italy, France, Greece Australia Russia	1879 1926 1945	(108) (65) (303)	15 1 1
<i>Morus</i> sp.	Mulberry	United States (Delaware)	1925	(164, p. 334)	1
<i>Morus alba</i> L.	White mulberry	France, Cyprus United States (Delaware, North Carolina, Oklahoma)	1924 1952	(16) (292)	2 1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
[ <i>Musa</i> sp.]	Banana	Tanganyika, Kenya	1933	(272)	2
<i>Musa</i> sp.	Banana	Australia	(1917)	(187)	1
[ <i>Musa paradisiaca</i> L.]	Plantain	Gold Coast	1927	(79)	1
<i>Musa paradisiaca</i> L.	Plantain	Gold Coast	1940	(80)	1
<i>Musa sapientum</i> L.	Banana	Tanganyika	1935	(275)	1
[ <i>Myrtus communis</i> L.]	Myrtle	Union of South Africa	1927	(127)	1
<i>Myrtus communis</i> L.		United States (California)	1949	(61)	1
[ <i>Narcissus</i> sp.]	Narcissus	United States (Oregon, California, Washington)	1932	(169)	2
<i>Narcissus</i> sp.		England	1932	(297)	3
<i>Narcissus pseudonarcissus</i> L.	Daffodil, trumpet narcissus	Australia	1948	(11)	1
<i>Nerium oleander</i> L.	Oleander	United States (California)	1956	(286)	1
		Greece	1959	(107)	1
<i>Nyssa sylvatica</i> Marsh.	Tupelo or black gum	United States (Pennsylvania)	1959	(99)	1
<i>Ocotea usambarensis</i> Engl.	Camphor	Tanganyika	1935	(274)	2
[ <i>Olea europaea</i> L.]	Olive	Italy, Spain, Greece	1887	(230)	4
		Nyasaland	1931	(152)	1
<i>Olea europaea</i> L. ( <i>Olea sativa</i> L.)	Olive	Italy	1883	(264)	1
		United States (California)	1926	(5)	2
		Nyasaland	1935	(275)	1
<i>Olearia haastii</i> Hook.	Tree aster, daisy bush	England	1948	(176)	1
<i>Olinia cymosa</i> Thunb.	Nanyole	Nyasaland	1939	(155)	1
<i>Osmanthus fragrans</i> Lour.		United States (California)	1940	(173)	1
<i>Ostrya</i> sp.	Hop hornbeam	United States	1950	(291)	1
[ <i>Paeonia</i> sp.]	Paeony, peony	England	1929	(27)	3
<i>Paeonia</i> sp.	Peony	United States (California, Iowa, Michigan, Oregon)	1926	(5)	2
<i>Paeonia lactiflora</i> Pall.	Peony	United States (California, Iowa, Michigan, Oregon)	1953	(292)	1
<i>Paeonia officinalis</i> L.	Peony	United States (Michigan)	1922	(161, p. 474)	1
[ <i>Panax</i> sp.]	Ginseng	United States (Washington)	1926	(140)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Panax quinquefolius</i> L.	American ginseng	United States (Washington)	1950	(291)	1
<i>Parinarium mobola</i> Olive ( <i>Parinari mobola</i> )	Muula	Union of South Africa, Nyasaland }	1933	(205)	5
[ <i>Parthenocissus quinquefolia</i> Planch.]	Virginia creeper, woodbine	Holland	1939	(263)	1
[ <i>Parthenocissus tricuspidata</i> Planch.]	Boston ivy	United States (California)	1912	(130)	1
<i>Parthenocissus tricuspidata</i> Planch.	Japanese or Boston ivy	United States (California)	(1943)	(251)	1
[ <i>Passiflora edulis</i> Sims]	Purple granadilla	Australia	1926	(65)	1
<i>Passiflora edulis</i> Sims	Passion fruit	Australia	(1925)	(187)	1
[ <i>Pastinaca sativa</i> L.]	Parsnip	Australia	1932	(227)	1
<i>Pastinaca sativa</i> L.	Parsnip	United States (California)	1934	(254)	1
<i>Paulownia</i> sp.		England	1943	(175)	1
<i>Paulownia tomentosa</i> Steud. ( <i>P. imperialis</i> Sieb. and Zucc.)		Denmark	1883	(218)	1
		United States (California)	1959	(211)	1
[ <i>Pelargonium</i> sp.]	Geranium	Kenya	1955	(145)	1
<i>Pelargonium capitatum</i> Ait.	Rose-scented geranium	Tanganyika	1950	(283)	1
<i>Pelargonium domesticum</i> Bailey	Lady Washington geranium	United States (California)	1958	(210)	1
[ <i>Pelargonium graveolens</i> L'Her.]	Rose geranium	Belgian Congo	1944	(121)	1
<i>Pelargonium hortorum</i> Bailey ( <i>P. hortatum</i> )	Fish geranium	United States (California)	1941	(38)	2
<i>Pelargonium peltatum</i> Ait.	Ivy geranium	United States (California)	1958	(210)	1
<i>Pennisetum purpureum</i> Schumacher	Elephant grass	Gold Coast	1927	(79)	1
[ <i>Persea</i> sp.]	Avocado	United States (California)	1934	(131)	2
[ <i>Persea americana</i> Mill.]	Avocado pear	Gold Coast	1927	(79)	1
<i>Persea americana</i> Mill.	Avocado	Gold Coast	1940	(80)	1
		United States	1952	(292)	1
		Ecuador	1959	(304)	1
<i>Philadelphus lewisi</i> Pursh var. <i>californicus</i> Gray	California mock orange	United States (California)	1949	(61)	1
<i>Phoenix canariensis</i> Chabaud		United States (California)	1927	(166, p. 376)	1
<i>Phoenix dactylifera</i> L.	Date palm	Italy	1887	(230)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Phyllanthus discoideus</i> Muell. Arg.		Gold Coast	1927	(79)	1
[ <i>Phyllostachys</i> sp.]	Bamboo	Greece	1939	(229)	1
[ <i>Picea</i> sp.]	Spruce	Russia, Silesia Poland, Germany, Sweden, Holland, Switzerland India Canada	1882 1952 1956	(157) (18) (129)	4 1 1
<i>Picea</i> sp.	Spruce	United States (Arizona, Colorado, New Mexico, Washington)	1953	(292)	1
[ <i>Picea abies</i> Karst.] <i>Picea abies</i> Karst. ( <i>Picea excelsa</i> Link)	Norway spruce Norway spruce	England Denmark, Germany, Belgium, Scotland, England, Norway	1925 1883	(113) (218)	1 10
[ <i>Picea engelmannii</i> Engelm.]	Engelmann spruce	United States (Colorado)	1950	(132)	1
<i>Picea engelmannii</i> Engelm.	Engelmann spruce	Canada United States (Arizona, Colorado, New Mexico, Washington)	1942 1953	(206) (292)	1 1
[ <i>Picea glauca</i> Voss]	White spruce	Canada (Manitoba, Saskatchewan, British Columbia) United States (Wisconsin)	1953 1959	(63) (193)	2 1
<i>Picea glauca</i> Voss ( <i>P. alba</i> Link)	White spruce	Denmark Canada	1883 1942	(218) (206)	2 2
[ <i>Picea mariana</i> BSP.]	Black spruce	Canada (Quebec, Newfoundland)	1941	(208)	2
<i>Picea mariana</i> BSP. ( <i>P. nigra</i> Link)	Black spruce	Denmark Canada	1883 1942	(218) (206)	1 1
<i>Picea morinda</i> Link		India	1931	(58, p. 86)	2
<i>Picea omorika</i> (Panc.) Purkyne	Serbian spruce	England	1958	(113)	1
<i>Picea pungens</i> Engelm.	Colorado spruce	Canada	1942	(206)	1
<i>Picea rubens</i> Sarg. ( <i>P. rubra</i> Link)	Red spruce	Canada	1942	(206)	1
[ <i>Picea sitchensis</i> Carr.]	Sitka spruce	England, Eire	1925	(113)	3
<i>Picea sitchensis</i> Carr.	Sitka spruce	Denmark, England United States (Washington)	1893 1940	(219) (52)	6 1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Pieris japonica</i> D. Don ( <i>Andromeda japonica</i> Thunb.)	Japanese andromeda	United States (New Jersey)	1931	(294)	1
[ <i>Pinus</i> sp.]	Pine	Switzerland, Denmark, Germany, Greece, Sweden Transvaal Kenya, Union of South Africa United States	1874 1937 1950 1953	(117) (43) (90) (292)	7 1 2 1
<i>Pinus</i> sp.	Pine				
[ <i>Pinus banksiana</i> Lamb.]	Jack pine	United States (Wisconsin)	1959	(193)	1
<i>Pinus banksiana</i> Lamb. ( <i>P. divaricata</i> Dum.-Cours)	Jack pine	United States (Minnesota) Canada	1915 1942	(288) (206)	2 1
<i>Pinus canariensis</i> C. Smith	Canary pine	Kenya	1957	(109)	1
<i>Pinus caribaea</i> Morelet ( <i>P. elliottii</i> Engelm.)	Slash pine	Union of South Africa, Mauritius, Nyasaland, Kenya	1933	(205)	4
[ <i>Pinus cembra</i> L.]	Stone pine	Switzerland	1956	(212)	1
<i>Pinus cembra</i> L.	Swiss stone pine	Denmark, Switzerland	(1902)	(95)	1
<i>Pinus cembroides</i> Zucc.	Piñon pine, Mexican stone pine	United States (Arizona, Colorado, New Mexico, Utah)	1953	(292)	1
[ <i>Pinus contorta</i> Loud. var. <i>latifolia</i> Wats.]	Lodgepole pine	United States (Colorado) Canada	1950 1954	(132) (45)	1 1
<i>Pinus contorta</i> Loud. var. <i>latifolia</i> Wats. ( <i>P. murrayana</i> Balf.)	Lodgepole pine	Australia United States (Colorado, Idaho)	1937 1952	(34) (292)	1 2
<i>Pinus flexilis</i> James	Limber pine	United States (Montana)	1953	(292)	1
[ <i>Pinus halepensis</i> Mill.]	Aleppo pine	Greece	1939	(229)	1
<i>Pinus halepensis</i> Mill.	Aleppo pine	Kenya	1957	(109)	1
<i>Pinus insularis</i> Endl.		Malaya	1953	(256)	1
[ <i>Pinus jeffreyi</i> A. Murr.]	Black pine	Germany	1883	(266)	1
<i>Pinus jeffreyi</i> A. Murr.	Jeffrey or black pine	Australia United States (California)	(1932) 1953	(187) (292)	1 1
<i>Pinus khasya</i> Royle		Nyasaland	1946	(188)	1
<i>Pinus lambertiana</i> Dougl.	Sugar pine	Australia United States (California)	(1932) 1926	(187) (5)	1 2
<i>Pinus longifolia</i> Roxbg.		Union of South Africa, Nyasaland	1932	(204)	3

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Pinus monticola</i> Dougl.	Western or mountain white pine	United States (Idaho, Montana, Oregon)	1923	(290)	7
		Canada (British Columbia)	1958	(235)	2
<i>Pinus mugo</i> Turra ( <i>P. montana</i> Mill.)	Swiss mountain pine	Denmark	1883	(218)	3
		Canada	1942	(206)	1
<i>Pinus muricata</i> D. Don	Bishop pine	New Zealand	1937	(35)	1
<i>Pinus nigra</i> Arnold ( <i>P. laricio</i> Poir.)	Austrian pine	Denmark, Belgium	1883	(218)	2
		Australia	1937	(34)	1
[ <i>Pinus nigra</i> Arnold var. <i>poiretiana</i> (Ant.) Aschers. and Graebn.]	Corsican pine	England	1925	(113)	1
<i>Pinus nigra</i> Arnold var. <i>poiretiana</i> (Ant.) Aschers. and Graebn. ( <i>P. laricio</i> Poir.)	Corsican pine	England	1927	(46)	2
<i>Pinus patula</i> Schiede and Deppe		Union of South Africa, Tanganyika, Kenya }	1933	(205)	4
<i>Pinus pinaster</i> Ait. ( <i>P. maritima</i> Poir.)	Cluster pine	Germany, Denmark, France }	1873	(116)	4
<i>Pinus ponderosa</i> Dougl.	Western yellow pine	United States (Oregon, Idaho, Washington, Arizona, New Mexico)	1927	(166, p. 341)	3
		Australia	1937	(34)	1
		Canada (British Columbia)	1958	(235)	1
<i>Pinus radiata</i> D. Don ( <i>P. insignis</i> Dougl.)	Monterey pine	Australia, New Zealand }	1922	(226)	6
		United States (California)	1960	(62)	1
		Kenya	1950	(183)	4
<i>Pinus resinosa</i> Ait.]	Red pine	United States (Wisconsin)	1959	(193)	1
<i>Pinus resinosa</i> Ait.	Red pine	United States (Minnesota)	1935	(135, p. 76)	1
		Canada (Ontario)	1942	(206)	2
<i>Pinus rigida</i> Mill.	Pitch pine	United States (Pennsylvania)	1925	(164, p. 325)	2
[ <i>Pinus strobus</i> L.]	Weymouthskiefer, white pine	Germany, Switzerland, Bavaria, Denmark }	1874	(117)	7
		Canada	1956	(129)	1
		United States (Wisconsin)	1959	(193)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Pinus strobus</i> L.	White pine, Weymouth pine	Germany, Denmark	1873	(116)	3
		United States (New Hampshire, Minnesota, Penn- sylvania, Indiana, New York)	1887	(88)	8
		Canada	1942	(206)	2
[ <i>Pinus sylvestris</i> L.]	Scots pine	Germany, England, Poland, Switzerland	1874	(117)	8
<i>Pinus sylvestris</i> L.	Scots pine	Germany, Belgium, Scotland, England, Holland, Italy, Switzerland, Russia, Denmark	1873	(116)	13
		Canada	1942	(206)	1
<i>Pinus tabulaeformis</i> Carr. ( <i>P. sinensis</i> Mayr.)	Chinese pine	Mauritius	1944	(146)	1
<i>Pinus taeda</i> L.	Loblolly pine	Mauritius, Tanganyika	1944	(146)	2
<i>Piptadenia</i> sp.		Tanganyika	1934	(273)	1
<i>Piptadenia buchananii</i> Baker		Tanganyika	1953	(284)	1
[ <i>Pistacia</i> sp.]	Pistachio	United States (California)	1943	(10, p. 483)	1
		Greece	1959	(107)	1
<i>Pistacia lentiscus</i> Linn.	Mastic tree	Greece	1939	(229)	1
<i>Pittosporum</i> sp.		Gold Coast	1927	(79)	1
<i>Pittosporum tobira</i> Ait.	Japanese pittosporum	United States (California)	1949	(61)	1
[ <i>Platanus</i> sp.]	Sycamore	Denmark	1880	(217)	1
		United States (California)	1934	(125)	1
<i>Platanus</i> sp.	Sycamore, plane tree	United States (Mary- land, West Virginia)	1926	(5)	1
<i>Platanus occidentalis</i> L.	Buttonwood, Ameri- can plane	United States (West Virginia, Maryland, Texas)	1921	(160, p. 300)	2
<i>Platanus racemosa</i> Nutt.	California sycamore	United States (Calif- ornia, Arizona)	1940	(173)	2
<i>Poinciana pulcherrima</i> L. ( <i>Caesalpinia pulcherrima</i> Sw.)	Barbados pride, Bar- bados flower fence, dwarf poinciana	Uganda	1923	(238)	1
		United States (California)	1959	(211)	1
<i>Poncirus trifoliata</i> Raf. ( <i>Citrus trifoliata</i> L.)	Trifoliate orange	United States (California)	Ca. 1930-49	(252)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
[ <i>Populus</i> sp.]	Aspen, poplar, cottonwood	Denmark, Germany, Italy, Yugoslavia, Greece } United States (Washington, New York, California)	1880 1910	(217) (151)	8 3
<i>Populus</i> sp.	Poplar	Japan United States (Minnesota, Texas, California)	1959 1926	(138) (165, p. 435)	1 3
[ <i>Populus alba</i> L.]	White poplar, silver poplar	Italy	1901	(67)	1
<i>Populus balsamifera</i> L.	Balsam poplar	Germany	1899	(269)	1
[ <i>Populus canadensis</i> Moench]	Canadian poplar	France	1877	(144)	1
<i>Populus canadensis</i> Moench		Denmark	1883	(218)	3
[ <i>Populus nigra</i> L. var. <i>italica</i> DuRoi]	Lombardy poplar	Australia	1954	(185)	1
<i>Populus nigra</i> L. var. <i>italica</i> DuRoi ( <i>P. pyramidalis</i> Boukh.)		Denmark	1930	(95)	1
[ <i>Populus tomentosa</i> Carr.]	Chinese poplar	England	1943	(175)	1
<i>Populus tremula</i> L.	European aspen	Germany, Norway, Denmark }	1899	(269)	4
<i>Populus tremuloides</i> Michx.	Quaking aspen, American aspen	United States (Minnesota, Wisconsin, Michigan) Canada (British Columbia, Ontario)	1927 1958	(233) (25)	2 2
<i>Populus trichocarpa</i> Torr. and Gray	Black cottonwood	Canada (British Columbia)	1958	(235)	1
<i>Prunus</i> sp.		England United States	1948 1953	(176) (292)	1 1
<i>Prunus americana</i> Marsh.		United States (California)	(1943)	(252)	1
[ <i>Prunus amygdalus</i> Batsch]	Almond	Portugal, Greece, Hungary, Italy }	1900	(2)	4
		United States (California)	1918	(248)	3
<i>Prunus amygdalus</i> Batsch	Almond	United States (California)	1926	(5)	1
[ <i>Prunus armeniaca</i> L.]	Apricot	United States (California, Texas)	1921	(59)	11
<i>Prunus armeniaca</i> L.	Apricot	France, Hungary United States (California) Rhodesia	1924 1926 1937	(68) (5) (295)	5 2 1
[ <i>Prunus</i> sp.]	Ornamental cherry	England	1943	(175)	2
[ <i>Prunus avium</i> L.]	Wild cherry	Greece	1939	(229)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
[ <i>Prunus avium</i> L.]					
[ <i>P. cerasus</i> L.]	Cherry	Germany, Holland, England, France, Greece	1874	(117)	8
		United States (Washington, Oregon, Ohio, Arkansas, Michigan, California, Mississippi)	1910	(151)	18
		Canada (British Columbia)	1925	(91)	1
		Rhodesia	1936	(128)	1
		Australia	1947	(136)	1
<i>Prunus avium</i> L.	Sweet cherry	Germany	1873	(116)	2
		United States (Pacific Coast States)	1926	(5)	1
		Canada (British Columbia)	1942	(78)	1
<i>Prunus besseyi</i> Bailey	Western sand cherry	United States (California)	Ca. 1930-49	(252)	1
<i>Prunus bokhariensis</i> Schneid.		United States (California)	(1937)	(252)	1
<i>Prunus cerasifera</i> Ehrh. var. <i>pissardii</i> Koehne ( <i>P. pissardii</i> Carr.)		England	1943	(175)	1
		United States (California)	Ca. 1930-49	(252)	2
<i>Prunus cerasus</i> L.	Sour cherry	Denmark	1930	(95)	1
		Canada (British Columbia)	1942	(78)	1
<i>Prunus dasycarpa</i> Ehrh.	Purple apricot	United States (California)	(1937)	(252)	1
<i>Prunus davidiana</i> Franch.		United States (California)	1922	(60)	1
[ <i>Prunus domestica</i> L.]	Plum	Germany, France, England, Hungary, Holland	1874	(117)	18
		United States (Washington, Texas, Oregon, California)	1902	(201)	9
		Australia	1916	(159)	1
		Canada (British Columbia)	1923	(168)	3
	Prune	Rhodesia, Kenya	1936	(128)	2
		United States (Washington, Oregon, California)	1902	(201)	14
<i>Prunus domestica</i> L.	Plum	Germany	1882	(119)	1
		United States (Pacific Coast States)	1926	(5)	1
		Canada (British Columbia)	1958	(235)	1
	Plum, prune	Australia	(1916)	(187)	1
	Prune	United States (Washington)	1938	(299, p. 227)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
[ <i>Prunus domestica</i> L. var. <i>instincta</i> Bailey]	Damson, bullace	England United States (California)	1937 (1937)	(224) (252)	1 1
<i>Prunus emarginata</i> (Hook.) Walp.		United States (Washington)	1903	(202)	1
		Canada (British Columbia)	1958	(235)	1
<i>Prunus kansuensis</i> Rehd.		United States (California)	(1937)	(252)	1
<i>Prunus laurocerasus</i> L.	Common cherry laurel	United States (California)	1956	(61)	1
[ <i>Prunus lusitanica</i> L.]	Portugal laurel	England	1948	(176)	1
<i>Prunus lyoni</i> Sarg.	Catalina cherry	United States (California)	1940	(173)	1
<i>Prunus mahaleb</i> L.	Mahaleb or St. Lucie cherry	United States (California)	<i>Ca.</i> 1930-49	(252)	1
<i>Prunus mexicana</i> S. Wats.	Big-tree plum	United States (California)	(1937)	(252)	1
<i>Prunus mume</i> Sieb. and Zucc.	Japanese apricot	United States (California)	(1937)	(252)	1
<i>Prunus pensylvanica</i> L. f.	Wild red or pin cherry	United States (Washington)	1953	(292)	1
[ <i>Prunus persica</i> Batsch]	Peach	United States (New York, Arkansas, Idaho, North Carolina, Texas, Oklahoma, Oregon, Indiana, Mississippi, California, Illinois) Australia England, Holland, Hungary, France Union of South Africa, Kenya	1891 1916 1926 1927	(170) (159) (196) (127)	31 1 6 3
<i>Prunus persica</i> Batsch ( <i>Amygdalus persica</i> L.)	Peach	Australia United States (California)	(1913) 1926	(187) (5)	1 3
<i>Prunus persica</i> Batsch	Flowering peach	United States (California)	1940	(173)	1
[ <i>Prunus persica</i> Batsch var. <i>nectarina</i> Maxim.]	Nectarine	Australia England	1916 1934	(159) (198)	1 2
<i>Prunus persica</i> Batsch var. <i>nectarina</i> Maxim.	Nectarine	Australia	(1913)	(187)	1
<i>Prunus salicina</i> Lindl.	Japanese plum	United States (California)	<i>Ca.</i> 1930-49	(252)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
[ <i>Prunus serotina</i> Ehrh.]	Wild cherry	Canada (Quebec)	1947	(207)	2
<i>Prunus serotina</i> Ehrh.	Wild black cherry	United States (New Hampshire)	1953	(292)	1
<i>Prunus serrulata</i> Lindl.		United States (California)	Ca. 1930-49	(252)	1
<i>Prunus sibirica</i> L.	Siberian apricot	United States (California)	(1937)	(252)	1
<i>Prunus tomentosa</i> Thunb.	Bush cherry	United States (California)	(1937)	(252)	1
[ <i>Prunus triloba</i> Lindl.]	Flowering almond	England	1943	(175)	1
<i>Prunus triloba</i> Lindl.	Flowering almond	England	1943	(175)	1
		United States (Mississippi)	1953	(292)	1
<i>Pseudalachnostenylis</i> sp.	Jika	Nyasaland	1939	(155)	1
[ <i>Pseudotsuga menziesii</i> (Mirb.) Franco]	Douglas fir	United States (Idaho, Montana)	1923	(290)	1
		England, Prussia, Erie, Germany }	1925	(113)	7
		Canada	1956	(64)	1
<i>Pseudotsuga menziesii</i> (Mirb.) Franco ( <i>P. douglasii</i> Carr.) ( <i>P. taxifolia</i> Britt.)	Douglas fir	Denmark, Germany	1893	(219)	3
		United States (Washington, Oregon, California)	1903	(202)	4
		Canada (British Columbia)	1940	(177)	2
[ <i>Psidium guajava</i> L.]	Guava	Gold Coast	1924	(55)	1
<i>Psidium guajava</i> L.	Guava	Australia	(1930)	(187)	1
		Uganda	1935	(275)	1
<i>Pterocarpus angolensis</i> DC.	Mlombwa	Nyasaland	1939	(155)	1
<i>Pterocarya fraxinifolia</i> Spach (P. <i>caucasica</i> C.A. Mey.)	Caucasian wing-nut	Italy	1899	(15)	1
[ <i>Punica granatum</i> L.]	Pomegranate	Greece	1939	(229)	2
<i>Pyracantha angustifolia</i> Schneid.	Pyracantha	United States (California)	1949	(61)	1
<i>Pyracantha coccinea</i> Roem.	Fiery thorn, everlasting thorn	United States (California)	1949	(61)	1
<i>Pyracantha coccinea</i> Roem. var. <i>lalandii</i> Dipp.		United States (California)	1949	(61)	1
<i>Pyracantha crenato-serrata</i> Rehd.		United States (California)	(1941)	(251)	1
<i>Pyracantha crenulata</i> Roem.		United States (California)	1949	(61)	1
<i>Pyracantha crenulata</i> Roem. var. <i>kansuensis</i> Rehd.		United States (California)	1949	(61)	1
<i>Pyracantha crenulata</i> Roem. var. <i>rogersiana</i> A. B. Jackson		United States (California)	1949	(61)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Pyracantha koidzumii</i> Rehd.		United States (California)	1949	(61)	1
<i>Pyrus betulaefolia</i> Bge.		United States (California)	1922	(60)	2
<i>Pyrus calleryana</i> Decne.		United States (California)	1922	(60)	2
[ <i>Pyrus communis</i> L.]	Pear	Italy, Germany, England, Greece, Malta United States (California, Washington, Mississippi, Texas) Canada (British Columbia) Australia	1895 1918 1925 1926	(194) (293) (91) (65)	15 6 1 1
<i>Pyrus communis</i> L.	Pear	Germany United States (Pacific Coast, Texas, Mississippi, California) Canada (British Columbia)	1899 1926 1958	(269) (5) (235)	1 6 1
<i>Pyrus pyrifolia</i> (Burm.) Nakai ( <i>P. serotina</i> Rehd.)	Sand pear	United States (California)	1922	(60)	2
<i>Pyrus serrulata</i> Rehd.		United States (California)	1922	(60)	1
<i>Pyrus ussuriensis</i> Maxim.	Oriental pear	United States (California)	1922	(60)	2
[ <i>Quercus</i> sp.]	Oak	Germany, England, Holland United States (California, Oregon) Union of South Africa India Denmark, Norway United States (California, Pennsylvania) Widespread in United States	1877 1911 1927 1952 1880 1925	(144) (192) (127) (18) (217) (120)	8 4 1 1 3 4
<i>Quercus</i> sp.	Oak				
<i>Quercus agrifolia</i> Née	California live oak	United States (California)	1940	(173)	1
[ <i>Quercus alba</i> L.]	White oak	United States (Wisconsin)	1922	(134)	1
<i>Quercus alba</i> L.	White oak	United States (New York, Pennsylvania, Maryland, North Carolina, Appalachian Mountain Region) Canada	1914 1941	(158) (208)	5 1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Quercus borealis</i> Michx. f. ( <i>Q. rubra</i> L. var. <i>ambigua</i> Fern.)	Red oak	United States (Pennsylvania, New York, Minnesota, Appalachian Mountain Region)	1925	(164, p. 335)	3
<i>Quercus borealis</i> Michx. var. <i>maxima</i> Ashe	Red oak	Canada United States (Appalachian Mountain Region, Illinois)	1942 1937	(206) (123)	1 3
<i>Quercus cerris</i> L.	Turkey oak	Czechoslovakia	1954	(246)	1
<i>Quercus chrysolepis</i> Liebm.	Maul oak, cañon oak	United States (California)	1955	(209)	1
[ <i>Quercus coccinea</i> Muenchh.]	Scarlet oak	United States (Wisconsin)	1922	(134)	1
<i>Quercus coccinea</i> Muenchh.	Scarlet oak	United States (Minnesota, Appalachian Mountain Region)	1923	(162, p. 424)	2
<i>Quercus dumosa</i> Nutt.	Scrub oak	United States (California)	1950	(291)	2
<i>Quercus ellipsoidalis</i> E. J. Hill	Hill's oak	United States (Illinois)	1939	(66)	1
<i>Quercus engelmannii</i> Greene	Mesa oak	United States (California)	1950	(291)	1
<i>Quercus falcata</i> Michx. ( <i>Q. rubra</i> L.)	Spanish oak	United States (Pennsylvania)	1925	(164, p. 335)	1
<i>Quercus garryana</i> Dougl.	Oregon oak	United States (Oregon) Canada (British Columbia)	1929 1958	(70) (235)	1 1
<i>Quercus laurifolia</i> Michx.	Laurel oak	United States (Florida)	1950	(291)	1
<i>Quercus lobata</i> Née	Valley oak	United States (California)	1950	(291)	1
[ <i>Quercus macrocarpa</i> Michx.]	Bur oak	United States (Wisconsin)	1922	(134)	1
<i>Quercus macrocarpa</i> Michx.	Bur oak	United States (Illinois) Canada	1839 1942	(66) (206)	1 1
<i>Quercus mongolica</i> Turcz.	Mongolian oak	Russia	1935	(148)	1
<i>Quercus montana</i> Willd.	Chestnut oak	United States (Appalachian Mountain Region)	1937	(123)	1
<i>Quercus nigra</i> L.	Water oak	United States (Louisiana)	1950	(291)	1
<i>Quercus petraea</i> Lieblein ( <i>Q. sessiliflora</i> Salisb.)	Durmast oak	Germany, Czechoslovakia }	1899	(269)	2
<i>Quercus prinus</i> L.	Basket oak	United States (New Jersey to North Carolina, West Virginia)	1914	(158)	2

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Quercus robur</i> L. ( <i>Q. pedunculata</i> Ehrh.)	English oak	Denmark, Germany, Italy, Jugoslavia, France, Scotland	1883	(218)	6
<i>Quercus semecarpifolia</i> Sm.		India	1954	(19)	1
<i>Quercus stellata</i> Wangh.	Post oak	United States (Appalachian Mountain Region)	1937	(123)	1
[ <i>Quercus suber</i> L.]	Cork oak	France, Morocco	1908	(87)	3
[ <i>Quercus velutina</i> Lam.]	Black oak	United States (Wisconsin, New Jersey)	1922	(134)	2
<i>Quercus velutina</i> Lam.	Black oak	United States (North Carolina, Illinois, Appalachian Mountain Region)	1914	(158)	3
[ <i>Raphanus sativus</i> L.]	Chinese white radish	United States (California)	Ca. 1930-49	(253)	1
<i>Rauwolfia vomitoria</i> Afz.		Gold Coast	1927	(79)	1
<i>Rhamnus</i> sp.		Greece	1936	(228)	2
<i>Rhamnus frangula</i> L.	Alder buckthorn	Germany	1899	(269)	1
<i>Rhaphiolepis indica</i> Lindl.	India hawthorn	United States (California)	1959	(211)	1
[ <i>Rheum rhaboticum</i> L.]	Rhubarb	Australia England United States (Texas)	1919 1934 1935	(124) (29) (250)	2 3 1
<i>Rheum rhaboticum</i> L.	Rhubarb	United States (California, Texas)	1937	(94, p. 207)	2
[ <i>Rhododendron</i> sp.]	Rhododendron	United States (New York, Washington)	1891	(171)	2
	Azalea	United States (Washington, California)	1920	(232)	2
<i>Rhododendron</i> sp.	Rhododendron and azalea	England, Scotland United States (Washington, New Jersey, California) Scotland	1934 1926 1941	(198) (5) (84)	6 5 1
<i>Rhododendron catawbiense</i> Michx.	Mountain rose bay	United States (New York, New Jersey)	1950	(291)	1
<i>Rhododendron lapponicum</i> Wahlenb.		Scotland	1938	(44)	1
<i>Rhododendron saluenense</i> Franch.		Scotland	1938	(44)	1
<i>Rhododendron sanguineum</i> Franch.		Scotland	1938	(44)	1
<i>Rhus laurina</i> Nutt.	Laurel sumac	United States (California)	1940	(173)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Rhus trilobata</i> Nutt.	Ill-scented sumac	United States (California)	1959	(211)	1
<i>Rhus typhina</i> L.	Tanner's sumac, staghorn sumac	Germany	1899	(269)	1
[ <i>Ribes</i> sp.]	Currant	United States (Washington, Oregon)	1910	(151)	3
		England	1922	(76)	2
	Flowering currant	England	1943	(175)	1
		United States (Washington)	1953	(292)	1
<i>Ribes</i> sp.		Germany	1903	(122)	3
		United States (California, Oregon, Washington)	1952	(292)	1
[ <i>Ribes grossularia</i> L.]	Gooseberry	United States (Washington, Oregon)	1910	(151)	3
		England	1921	(6)	9
<i>Ribes grossularia</i> L.	Gooseberry	England	1929	(50)	1
		United States (Oregon, Washington)	1926	(5)	2
[ <i>Ribes nigrum</i> L.]	Black currant	England, Scotland	1922	(76)	6
<i>Ribes nigrum</i> L.	European black currant	England	1929	(50)	1
		United States (Oregon, Washington)	1953	(292)	1
<i>Ribes rubrum</i> L.	Northern red currant	England	1929	(50)	1
		United States (California, Oregon, Washington)	1953	(292)	1
<i>Ribes sanguineum</i> Pursh		England	1948	(176)	1
<i>Ribes sativum</i> Syme	Common or garden currant	United States (California, Oregon, Washington)	1953	(292)	1
<i>Ribes speciosum</i> Pursh	Fuchsia-flowered gooseberry	United States (California)	Ca. 1930-49	(251)	1
<i>Robinia pseudoacacia</i> L.	Black locust	Germany	1884	(111)	2
		United States	1952	(292)	1
[ <i>Rosa</i> sp.]	Rose	Gold Coast	1924	(55)	1
		England, Holland, { Greece}	1929	(27)	6
<i>Rosa</i> sp.	Rose	United States (Oregon, Texas, California, Mississippi, Washington)	1926	(5)	6
		Tanganyika, Uganda	1934	(273)	2
		Australia	(1925)	(187)	1
<i>Rosa</i> sp. var. <i>glorie des rosomanes</i>	Ragged robin rose	United States (California)	1946	(39)	1
<i>Rosa canina</i> L.	Dog rose	Germany	1899	(269)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
[ <i>Rubus</i> sp.]	Blackberry, raspberry	United States (Washington, Texas) England, Greece Australia	1910 1923 1949	(151) (223) (267)	6 4 2
<i>Rubus</i> sp.	Brambles, raspberry, blackberry, dewberry	United States (Washington) Canada (British Columbia)	1926 1942	(5) (78)	1 1
	Dewberry	United States (Texas)	1953	(292)	1
	Western sp.	United States (Oregon)	1953	(292)	1
	Black raspberry	United States (Oregon)	1953	(292)	1
[ <i>Rubus idaeus</i> L.]	Red raspberry	United States (Washington, Oregon) Canada New Zealand, } Australia }	1910 1937 1940	(151) (142) (300)	8 1 2
<i>Rubus parviflorus</i> Nutt.	Thimbleberry	England, Scotland Canada	1934 1937	(198) (142)	3 1
[ <i>Rubus phoenicolasius</i> Maxim.]	Wineberry	England	1943	(175)	1
[ <i>Rubus ursinus</i> Cham. and Schlecht. var. <i>loganobaccus</i> Bailey]	Loganberry	United States (Washington, Oregon) England Australia	1910 1948 1949	(151) (176) (267)	4 1 1
[ <i>Rumex</i> sp.]	Dock	England	1923	(223)	1
[ <i>Saccharum officinarum</i> L.]	Sugar cane	Tanganyika	1933	(272)	1
<i>Saccharum officinarum</i> L.		Tanganyika	1935	(275)	1
[ <i>Salix</i> sp.]	Willow	Denmark, Germany, } Switzerland, England }	1880	(217)	5
		United States (Washington, California)	1910	(151)	3
<i>Salix</i> sp.	Willow	United States (California, Washington) China Canada (British Columbia)	1937 1947 1958	(94, p. 229) (249) (235)	3 1 1
<i>Salix alba</i> L.	White willow, cricket bat willow	England, Denmark, } Cyprus	1911	(51)	3
<i>Salix babylonica</i> L.	Weeping willow	Australia Tanganyika United States (California)	1934 1949 1957	(187) (282) (287)	1 1 1
<i>Salix caprea</i> L.	Goat willow, sallow	Germany	1880	(217)	2
[ <i>Sambucus</i> sp.]	Elder	England	1943	(175)	1
<i>Sambucus</i> sp.		Germany, Denmark	1903	(122)	2
[ <i>Sassafras</i> sp.]	Sassafras	United States (North Carolina)	1914	(158)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Sassafras albidum</i> Nees ( <i>S. variifolium</i> Kuntze)	Sassafras	United States (Pennsylvania)	1925	(164, p. 340)	1
<i>Schinus molle</i> L.	California pepper tree, Peruvian mastic tree	United States (California, Texas) Australia	1922 1934	(161, p. 461) (187)	5 1
<i>Schinus terebinthifolius</i> Raddi	Brazilian pepper tree	United States (Florida, Texas)	1950	(291)	2
[ <i>Scotellia coriacea</i> A. Chev.]	Lakpa	Gold Coast	1925	(56)	1
[ <i>Sequoia sempervirens</i> Endl.]	Coastal redwood	United States (California)	1919	(96)	2
<i>Sequoia sempervirens</i> Endl.	Redwood	United States (California)	1940	(173)	1
<i>Sequoiadendron giganteum</i> Buchholz ( <i>Wellingtonia</i> sp.)	Giant sequoia, California big tree, giant redwood	England	1943	(175)	1
<i>Sesbania</i> sp.		Tanganyika	1934	(273)	1
<i>Shepherdia argentea</i> Nutt.	Buffalo berry	United States (California)	1949	(61)	1
[ <i>Solanum tuberosum</i> L.]	Potato	Australia United States (Washington, Michigan, Wisconsin, Oregon, Florida) Japan Holland, England, } Scotland, Greece } Canada (British Columbia)	1910 1914 1921 1936 1937	(141) (20) (298) (265) (143)	2 9 1 5 1
<i>Solanum tuberosum</i> L.	Potato	Russia United States (California, Michigan, Washington, Oregon, Wisconsin, Wyoming) Chile Canada (British Columbia)	1945 1926 (1934) 1942	(40) (5) (178) (78)	2 2 1 1
[ <i>Sorbus</i> sp.]	Mountain ash	Denmark United States (New Jersey)	1880 1940	(217) (180, p. 342)	1 1
<i>Sorbus americana</i> Marsh.	American mountain ash	United States (New Jersey)	1953	(292)	1
<i>Sorbus aria</i> Crantz	White beam tree	Germany	1899	(269)	1
[ <i>Sorbus aucuparia</i> L.]	Mountain ash	Switzerland	1956	(212)	1
<i>Sorbus aucuparia</i> L. ( <i>Pyrus aucuparia</i> Gaertn.)	European mountain ash	Germany, Denmark, } England	1873	(116)	9
<i>Spartium junceum</i> L.	Spanish or weaver's broom	United States (California)	1949	(61)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Spathodea</i> sp.		Gold Coast, Uganda	1924	(55)	2
<i>Spathodea campanulata</i> Beauv.	Tulip tree	Gold Coast	1927	(79)	1
<i>Spiraea prunifolia</i> Sieb. and Zucc.	Bridal wreath	United States (California)	1949	(61)	1
<i>Stranvaesia davidiana</i> Decne.		Scotland	1941	(84)	1
<i>Strelitzia reginae</i> Banks	Bird of paradise	United States (California)	1957	(287)	1
[ <i>Syringa</i> sp.]	Lilac	England, France	1928	(26)	6
<i>Syringa vulgaris</i> L.	Common lilac	United States (California, Mississippi)	1927	(166, p. 377)	2
<i>Syzygium gerrardi</i> (Harv.) Hochst.	Waterpeer	Transvaal	1953	(86)	1
<i>Taxus baccata</i> L.	English yew	United States (California)	<i>Ca.</i> 1930-49	(251)	1
<i>Taxus brevifolia</i> Nutt.	Western yew	United States (Idaho)	1915	(289)	1
<i>Tecomaria capensis</i> Spach	Cape honeysuckle	United States (California)	1940	(173)	1
[ <i>Tectona grandis</i> L. f.] <i>Tectona grandis</i> L. f.	Teak	Dutch East Indies Tanganyika	1924 1953	(282) (284)	1 1
<i>Telfairia pedata</i> Hook.	Oyster nut	Tanganyika	1944	(277)	1
<i>Tephrosia candida</i> DC.		Nyasaland	1933	(153)	1
<i>Tephrosia vogelii</i> Hook.		Ceylon	1940	(104)	1
<i>Terminalia</i> sp.		Gold Coast	1927	(79)	1
<i>Terminalia arjuna</i> Wight and Arn.		Mauritius	1930	(236)	1
[ <i>Thea</i> sp.]	Tea	Dutch East Indies, Java, Sumatra Gold Coast, Uganda, Nyasaland, Belgian Congo, Tanganyika, Mozambique, Kenya, Mauritius Ceylon, India	1919 1924 1928	(33) (55) (102)	12 21 5
<i>Thea sinensis</i> L. ( <i>Camellia sinensis</i> Kuntze) ( <i>Camellia thea</i> Link)		Tanganyika, Uganda, Nyasaland	1932	(271)	3
		Peru	1948	(77)	1
		Malaya, Indonesia	1953	(256)	1
<i>Thea sinensis</i> L. var. <i>assamica</i> Pierre	Tea	Indonesia	1957	(133)	1
<i>Theobroma</i> sp.		Sierra Leone	1936	(82)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## HOST LIST OF ARMILLARIA MELLEA—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
[ <i>Theobroma cacao</i> L.]	Cacao	Gold Coast, Uganda, Sierra Leone, Ivory Coast, Belgian Congo, French Cameroons	1907	(186)	16
		Brazil	1937	(216)	1
		Mexico	1945	(156)	1
<i>Theobroma cacao</i> L.	Cacao	Brazil, Colombia Gold Coast, Uganda, Belgian Congo	1920 1927	(17) (79)	2 5
<i>Thuja</i> sp.	Cypress Arborvitae	Australia United States (Mississippi, Texas) England	(1923) 1935 1948	(187) (135, p. 76) (176)	1 3 1
<i>Thuja occidentalis</i> L.	American arborvitae	Sweden, Finland United States (Michigan, New York, Texas)	1938 1950	(137) (291)	2 1
<i>Thuja orientalis</i> L.	Oriental arborvitae	Germany United States (Mississippi, Texas)	1875 1950	(258) (291)	1 1
<i>Thuja orientalis</i> L. var. <i>seiboldii</i> Laws.	Oriental arborvitae	United States (California)	(1941)	(251)	1
<i>Thuja plicata</i> Donn ( <i>T. lobbii</i> Hort.)	Giant arborvitae, western red cedar	United States (Washington, California) England Canada (British Columbia)	1926 1934 1946	(5) (198) (53)	3 3 2
<i>Tilia</i> sp.		Denmark	1930	(95)	1
<i>Trema guineensis</i> Priem		Tanganyika, Nyasaland	1935	(274)	2
<i>Tsuga canadensis</i> Carr.	Common or Canadian hemlock	United States (Pennsylvania, Wisconsin)	1887	(88)	2
<i>Tsuga heterophylla</i> Sarg.	Western hemlock	United States (Washington, Oregon) England Canada (British Columbia)	1940 1946 1949	(52) (113) (54)	2 1 2
<i>Tulipa</i> sp.	Tulip	Canada (British Columbia)	1942	(78)	1
<i>Uapaca kirkiana</i> Muell.	Msuku	Nyasaland	1939	(155)	1
<i>Uapaca nitida</i> Muell.	Kasokolowe	Nyasaland	1939	(155)	1
<i>Ulex europeus</i> L.		United States (California)	1959	(211)	1
[ <i>Ulmus</i> sp.]	Elm	Germany, France, Holland, Italy	1896	(71)	6
[ <i>Ulmus americana</i> L.]	American elm	United States (Missouri)	1944	(48)	1
<i>Ulmus americana</i> L.	American elm	Canada United States (California)	1942 1955	(206) (209)	1 1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

HOST LIST OF *ARMILLARIA MELLEA*—Continued

Scientific name*	Common name	Place of occurrence or report	Year of first report†	Reference number of first report‡	Total number of reports from area
<i>Ulmus fulva</i> Michx.	Slippery or red elm	Canada	1942	(206)	1
<i>Ulmus glabra</i> Huds.	Scotch elm	Germany	1899	(269)	1
<i>Ulmus pumila</i> L.	Siberian or dwarf elm	Canada	1942	(206)	1
<i>Ulmus thomasii</i> Sarg. ( <i>U. racemosa</i> Thomas)	Rock or cork elm	Canada	1942	(206)	1
<i>Veronica</i> sp.		Scotland	1941	(84)	1
[ <i>Viburnum tinus</i> L.]	Laurestinus	England	1934	(29)	1
<i>Viburnum tinus</i> L.	Laurestinus	England	1943	(175)	1
		United States (California)	1955	(209)	1
[ <i>Vitis</i> sp.]	Vine, grape	France, Hungary, Germany, Scotland, Bulgaria, Greece, Spain, Italy, England, Switzerland, Belgium	1880	(172)	39
		United States (California, Arkansas, Texas, Washington)	1892	(200)	6
		Australia	1926	(65)	1
<i>Vitis</i> sp.	Grape	Australia	(1890)	(187)	1
		United States (Washington, Texas, Florida, Mississippi, North Carolina)	1926	(5)	3
		England	1929	(50)	1
<i>Vitis labrusca</i> L.	Fox grape	United States (Arkansas, Missouri, Texas)	1952	(292)	1
<i>Vitis vinifera</i> L.	Grape	Germany, Greece	1899	(269)	4
		United States (California, Washington)	1944	(24, p. 381)	2
		Peru	1946	(234)	1
<i>Watsonia</i> sp.	Watsonia	United States (California)	1936	(93, p. 288)	1
<i>Weinmannia racemosa</i> L. f.	Kamahi-tawa	New Zealand	1937	(34)	1
<i>Widdringtonia whytei</i> Rendle	Mlanje cedar, mlanji cedar	Nyasaland, Tanzania, Kenya	1926	(72)	4
<i>Xanthosoma</i> sp.		United States (California)	1950	(291)	1
<i>Xanthosoma sagittifolium</i> (L.) Schott.		Gold Coast	1940	(80)	1
		United States (California)	1950	(291)	1
<i>Zantedeschia aethiopica</i> Spreng.	Calla	United States (California)	1927	(166, p. 378)	1

\* Brackets around the scientific name indicate that only the common name was given in the reference; genus and, if possible, species names were supplied by the author.

† A date given in parentheses indicates that the year of the report differs from the year of publication.

‡ See page 67 for list of references.

## REFERENCES TO FIRST REPORTS OF HOSTS\*

1. ALCOCK, N. L., and M. WILSON  
1927. *Armillaria mellea* on heather (new host). *Scot. Forestry J.* **41**(2):224-225. (Biol. Abstr. 3:564)
2. ALMEIDA, J. V. D'  
[1900] In Portugal beobachtete Pflanzenkrankheiten. *Agr. Contemporanea*, Lisboa, 1899,  
1900. (Z. f. Pflanzenkrank. 11:236-238)
3. ANAGNOSTOPOULOS, P. T.  
1939. [The decline of the citron in Crete, cause, means of prevention and cure.] *Hort. Res.*, Athens, 2:99-112. (R.A.M. 18:672)
4. ANDERSON, H. P.  
1896. Über abnorme Bildung von Harzbehältern und andere zugleich auftretende anatomische Veränderungen in Holze erkrankten Coniferen. *Inaug. Diss. München. Rieger'sche Buchh.* 8, 38 p. (Z. f. Pflanzenkrank. 7:95-96)
5. ANDERSON, P. J., R. J. HASKELL, W. C. MUENSCHER, CLARA J. WELD, JESSIE I. WOOD, and G. H. MARTIN  
1926. Check list of diseases of economic plants in the United States. *U. S. Dept. Agr. Bull.* **1366**, 111 p.
6. ANONYMOUS  
1921. New disease of gooseberries [in Sussex]. *Gard. Chron.* No. 1821, Ser. 3, **70**:262. (E.S.R. 47:546)
7. ANONYMOUS  
1926. Some interesting specimens received. *Plant Dis. Repr.* **10**:99.
8. ANONYMOUS  
1936. England and Wales: new and interesting phytopathological records for the year 1935. *Intern. Bull. Plant Protect.* **10**:49-50. (R.A.M. 15:478)
9. ANONYMOUS  
1939. England and Wales: new and interesting phytopathological records for the year 1938. *Intern. Bull. Plant Protect.* **13**:153M-154M. (R.A.M. 18:724)
10. ANONYMOUS  
1943. Diseases of fruit and nut crops. *Plant Dis. Repr.* **27**:461-483.
11. ANONYMOUS  
1948. Plant diseases. Notes contributed by the biological branch. *N. S. Wales Agr. Gaz.* **59**:32-36, 46. (R.A.M. 27:275)
12. ANONYMOUS  
1948. [Annual report of the year 1947.] *Inst. Natl. pour l'Étude Agron. Congo Belge Pubs.* 217 p. (R.A.M. 28:271-272)
13. ANONYMOUS  
1949. [Annual report for the year 1948.] *Inst. Natl. pour l'Étude Agron. Congo Belge Pubs.* 290 p. (R.A.M. 29:292-294)
14. ANONYMOUS  
1953. Oak root fungus, a problem in some orchards. *California Citrog.* **38**(10):369. (R.A.M. 33:79)
15. ARCANGELI, G.  
1899. Sopra varii funghi raccolti nell'anno 1898. *Bull. d. Soc. Botan. Italiana*, p. 16-22. (Botan. Jahresber. 27:100)
16. ARNAULD, G., and MME. ARNAULD  
1924. [Notes on plant pathology III.] *Rev. de Path. Veg. et d'Ent. Agr. de France* **11**:178-182. (R.A.M. 4:200-201)
17. AVERNA-SACCA, R.  
1920. Cryptogamic diseases of cacao and of coconut. [Sao Paulo, Brazil] *Bol. Agr. Ser. 1-3*, **21**:46-186. (E.S.R. 45:653)
18. BAGCHEE, K.  
1952. A review of work on India tree diseases and decay of timber and methods of control. *Indian Forester* **78**:540-546.

\* Names of abstracting journals are given in parentheses following the reference, although papers were reviewed in the original whenever possible.

19. BAGCHEE, K., Y. N. PURI, and B. K. BAKSHI  
1954. Principal diseases and decays of oaks and other hardwoods in India—II. Indian Phytopathol. 7:18-42.
20. BAILEY, F. D.  
1914. Notes on potato diseases from the Northwest. Phytopathology 4:321-322.
21. BAILEY, L. H.  
1935. The standard cyclopedia of horticulture. The Macmillan Company, New York. 3 v.
22. BAILEY, L. H.  
1957. Manual of cultivated plants. The Macmillan Company, New York. 1116 p.
23. BARGELLINI, D.  
1886. Arboretum Istrianum. Bullettino della Societa Toscana di Orticoltura; An. XI. Firenze, 1886. No. 6, 8, 9, 11, 12: ca. 14 p. (Botan. Jahresber. 14<sup>2</sup>:148-149)
24. BARRETT, H. L.  
1944. Summary of plant diseases observed in California in 1943. Plant Dis. Repr. Suppl. 149:369-386.
25. BASHAM, J. T.  
1958. Decay of trembling aspens. Canad. J. Botany 36:491-505. (R.A.M. 37:743)
26. BEAUMONT, A.  
1928. 5th annual report of the department of plant pathology. Seale-Hayne Agr. Coll. Pam. 30, p. 35. (R.A.M. 8:628)
27. BEAUMONT, A.  
1929. 6th annual report of the department of plant pathology. Seale-Hayne Agr. Coll. Pam. 31, p. 27-28.
28. BEAUMONT, A.  
1933. 10th annual report of the department of plant pathology. Seale-Hayne Agr. Coll. Pam. 42, p. 38-39.
29. BEAUMONT, A.  
1934. 11th annual report of the department of plant pathology. Seale-Hayne Agr. Coll. Pam. 44, p. 43-59.
30. BEAUMONT, A.  
1937. 14th annual report of the department of plant pathology. Seale-Hayne Agr. Coll. Pam. 48, p. 46-48.
31. BEDWELL, J. L., and M. E. FOWLER  
1938. Fungi found on chestnut and chinquapin in Oregon, Washington and British Columbia. Plant Dis. Repr. 22:208-210.
32. BENNETT, C. W.  
1928. Diseases of fruit and nut crops in the United States in 1927. Plant Dis. Repr. Suppl. 60:118-222.
33. BERNARD, CH.  
1919. [Supplementary contribution to the root diseases of tea.] Meded. Proefsta. voor Thee. Dept. Landb., Nijverheid en Handel 61a:1-7. (Botan. Abstr. 4:1240)
34. BIRCH, T. T. C.  
1937. *Armillaria mellea* (Vahl.) Quél. in relation to New Zealand forests. Austral. New Zeal. Assoc. Adv. Sci. Rept. 23:276-279.
35. BIRCH, T. T. C.  
1937. A synopsis of forest fungi of significance in New Zealand. New Zeal. State Forest Serv. Bull. 9, 17 p.
36. BIRKINSHAW, J. H., C. E. STICKINGS, and P. TESSIER  
1948. Biochemistry of the wood-rotting fungi. 5. The production of D-threitol (l-erytritol) by *Armillaria mellea* (Vahl.) Quél. Biochem. J. 42:329-332. (R.A.M. 27: 399)
37. BIRMINGHAM, W. A., and W. B. STOKES  
1921. Experiments for the control of *Armillaria mellea*. N. S. Wales Agr. Gaz. 32:649, 650. (E.S.R. 46:746)
38. BLISS, D. E.  
1941. Relation of soil temperature to *Armillaria* root rot in California. (Abstr.) Phytopathology 31:3.

39. BLISS, D. E.  
1946. The relations of soil temperature to the development of *Armillaria* root rot. *Phytopathology* **36**:302-318.
40. BONDARTSEV, A. S.  
1945. [The honey agaric fungus, (*Armillaria mellea*) (Vahl.) Quél., pathogenic on potato.] *Soviet. Botan. Ser. 5*, **13**:28. (R.A.M. **25**:316)
41. BORDAS, J., P. H. JOESSEL, and E. ANRÈS  
1932. [Inquiry into the wilts of lavender.] *Ann. des Épiphyt.* **18**:368-383. (R.A.M. **13**:98-99)
42. BORG, P.  
1936. Report of the plant pathologist. *Malta Insp. Agr. Rept.* 1934-35, p. 53-61. (R.A.M. **15**:780)
43. BOTTOMLEY, A. M.  
1937. Some of the more important diseases affecting timber plantations in the Transvaal. *S. African J. Sci.* **33**:373-376. (R.A.M. **16**:783-784)
44. BOUGHEY, A. S.  
1938. Honey fungus as a disease of rhododendron. *Gard. Chron. No. 2692*, Ser. 3, **104**:84. (R.A.M. **17**:823)
45. BOURCHIER, R. J.  
1954. Armillaria rot of natural lodgepole pine regeneration in Alberta. *Canada Dept. Agr. Bimo. Prog. Rept., Div. Forest Biol.*, **10** (1):4. (Forest. Abstr. **15**:3731)
46. BOYCE, J. S.  
1927. Observations on forest pathology in Great Britain and Denmark. *Phytopathology* **17**:1-18.
47. BOYCE, J. S.  
1954. Introduction of exotic trees. *Dangers from diseases and insect pests. Unasylva* **8**:8-14. (R.A.M. **33**:570-571)
48. BRETZ, T. W.  
1944. Phloem necrosis of elms in Missouri. *Plant Dis. Repr.* **28**:929-931.
49. BRISTOL AGRICULTURAL AND HORTICULTURAL RESEARCH STATION  
1928. Strawberry investigations. *Bristol Univ. Agr. and Hort. Res. Sta. Ann. Rept. 1927*, p. 58-71. (R.A.M. **7**:650)
50. BRITISH MYCOLOGICAL SOCIETY  
1929. List of common names of British plant diseases. *Brit. Mycol. Soc. Trans.* **14**:140-177.
51. BROOKS, F. T.  
1911. Willow trees killed by *Armillaria mellea*. *Gard. Chron. No. 1260*, Ser. 3, **49**:100-101. (E.S.R. **24**:748)
52. BUCHANAN, T. S.  
1940. Fungi causing decay in wind-thrown northwest conifers. *J. Forestry* **38**:276-281. (R.A.M. **19**:445)
53. BUCKLAND, D. C.  
1946. Investigations of decay in western red cedar in British Columbia. *Canad. J. Res., Sect. C*, **24**:158-181. (R.A.M. **26**:272-274)
54. BUCKLAND, D. C., R. E. FOSTER, and V. J. NORDIN  
1949. Studies in forest pathology VII. Decay in western hemlock and fir in the Franklin River area, British Columbia. *Canad. J. Res., Sect. C*, **27**:312-331. (R.A.M. **29**:392)
55. BUNTING, R. H.  
1924. Report on the mycological section for the year ending 31st March 1924. *Gold Coast Agr. Dept. Rept. 1923-24*, p. 32, 33. (E.S.R. **55**:244)
56. BUNTING, R. H.  
[1925] Report on the mycological division. *Gold Coast Agr. Dept. Rept. 1924-1925*, p. 32-34. (E.S.R. **55**:244-245)
57. BUTLER, E. J.  
1928. Report on some diseases of tea and tobacco in Nyasaland. *Nyasaland Dept. Agr. Rept. 30* p. (R.A.M. **8**:202-204)

58. BUTLER, E. J., and G. R. BISBY  
1931. The fungi of India. [India] Imp. Council of Agr. Res., Sci. Monog. 1, 237 p.
59. CALIFORNIA AGRICULTURAL EXPERIMENT STATION  
1921. Deciduous fruits. Armillaria control. California Agr. Expt. Sta. Ann. Rept., July 1, 1920, to June 30, 1921, p. 62-63. (E.S.R. 47:649)
60. CALIFORNIA AGRICULTURAL EXPERIMENT STATION  
1922. Pomology. Armillaria control. California Agr. Expt. Sta. Ann. Rept., July 1, 1921, to June 30, 1922, p. 137-138. (E.S.R. 48:541-542)
61. CALIFORNIA AGRICULTURAL EXTENSION SERVICE  
1949. List of ornamentals tested for resistance to oak root fungus (*Armillaria mellea*) and tentative rating of each. California Agr. Ext. Serv. Mimeo., 3 p. (Rev. 1956)
62. CALIFORNIA AGRICULTURAL EXTENSION SERVICE  
1960. Plants resistant and susceptible to Armillaria root rot. California Agr. Ext. Serv. AXT-6, 5 p.
63. CANADA DEPARTMENT OF AGRICULTURE  
1953. Annual report of the forest, insect and disease survey, 1952. 154 p. (R.A.M. 32:518-521)
64. CANADA DEPARTMENT OF AGRICULTURE  
1956. Annual report of the forest, insect and disease survey, 1955. 106 p. (R.A.M. 36:69-70)
65. CARNE, W. M.  
1926. Root rot of fruit trees due to *Armillaria mellea*. West. Austral. Dept. Agr. J., Ser. 2, 3:429-432. (R.A.M. 6:101-102)
66. CARTER, J. C.  
1939. Diseases of ornamental oaks in Illinois. Arborists News 4:89-92. (R.A.M. 20: 183-184)
67. CAVARA, F.  
[1901] La vegetazione della Sardegna meridionale. Nuovo Gior. Bot. Ital. 8:363-415. (Botan. Jahresber. 29<sup>1</sup>:426-427)
68. CHABROLIN, C.  
1924. [Some diseases of fruit trees in the Rhone Valley.] Ann. des Épiphyt. 10:265-333. (R.A.M. 5:304-305)
69. CHABROLIN, C.  
1932. [A contribution to the study of fruit tree diseases in Tunis.] [Tunis] Dir. Gén. Agr. Com. et Colon., Ann. du Serv. Bot. et Agron. 9:177-200. (R.A.M. 12:302-303)
70. CHILDS, L., and S. M. ZELLER  
1929. Observations on Armillaria root rot of orchard trees. Phytopathology 19:869-873.
71. CIESLAR, A.  
1896. Über das Auftreten des Hallimasch (*Agaricus melleus*) in Laubholzwaldungen. Centbl. f. das Gesam. Forstw. 22:19-26. (Z. f. Pflanzenkrank. 7:43)
72. CLEMENTS, J. B.  
1926. Report of the chief forest officer. Nyasaland Dept. Agr. Ann. Rept. 1925, p. 19.
73. CONDIT, I.  
1926. The loquat in California. S. African Fruit Grower 13:281-283. (R.A.M. 6:175)
74. CONFERENCE OF BIOLOGICAL EDITORS  
1960. Style manual for biological journals. Am. Inst. Biol. Sci., Washington, D.C. 92 p.
75. COOKE, W. B.  
1955. Fungi of Mount Shasta. (1936-1951). Sydowia 9:94-215. (See especially p. 187-188.) (R.A.M. 35:846)
76. COTTON, A. D.  
1922. Fungus diseases of crops, 1920-1921. [Gt. Brit.] Min. Agr. and Fisheries, Misc. Pub. 38, 104 p.
77. CRANDALL, B. S., and J. DIEGUEZ  
1948. A check list of the diseases of economic plants in the Tingo Maria zone of the Peruvian Montana. Plant Dis. Repr. 32:20-27.
78. CROWELL, I. H., and E. LAVALEE  
1942. Check list of diseases of economic plants in Canada. Canada Dept. Agr., Dominion Sci. Serv. Mimeo., 68 p.

79. DADE, H. A.  
 1927. Collar crack of cacao [*Armillaria mellea* (Vahl.) Fr.]. Gold Coast Dept. Agr. Bull. 5, 21 p.
80. DADE, H. A.  
 1940. A revised list of Gold Coast fungi and plant diseases. Kew Roy. Botan. Gard. Bull. Misc. Inf. 6:205-247.
81. DARNELL-SMITH, G. P., and E. MACKINNON  
 1914. Fungus and other diseases of citrus trees. N. S. Wales Agr. Gaz. 25:945-954. (E.S.R. 33:149)
82. DEIGHTON, F. C.  
 1936. Preliminary list of fungi and diseases of plants in Sierra Leone and list of fungi collected in Sierra Leone. Kew Roy. Botan. Gard. Bull. Misc. Inf. 7:397-424, 424-433.
83. DELACROIX, G.  
 1907. Diseases of coffee trees. Agr. Prat. des Pays Chauds 7 (56):412-423. (E.S.R. 19:753)
84. DENNIS, R. W. G., and C. E. FOISTER  
 1941. List of diseases of economic plants recorded in Scotland. Brit. Mycol. Soc. Trans. 25:266-306.
85. DEPOERK, R.  
 1946. [On a new method for the control of root rots of *Hevea*.] Inst. Roy. Colon. Belge, Bull. des Seances 17:980-986. (R.A.M. 26:466-467)
86. DOIDGE, E. M., A. M. BOTTOMLEY, J. E. VAN DER PLANK, and G. D. PAUER  
 1953. A revised list of plant diseases in South Africa. Union S. Africa Dept. Agr. Sci. Bull. 346, 122 p.
87. DUOMET, V.  
 1908. Le déprérissement des bois de Chêne—Liège en Gascogne. [France] Off. de Renseig. Agr. Bull. 7:288. (Botan. Jahresber. 36<sup>1</sup>:785)
88. DUDLEY, P. H.  
 1887. Fungi destructive to wood. 41st Annual Trustees Report 1887. Amer. Mus. Nat. Hist. (New York), p. 86-94. (Botan. Jahresber. 16<sup>1</sup>:305)
89. DUFRENOY, J.  
 1927. [The dying off of fruit trees in the central Massif.] Bull. de l'Office Agricole Régional du Massif Central, 13 p. (R.A.M. 6:426)
90. EAST AFRICAN AGRICULTURAL AND FORESTRY RESEARCH ORGANIZATION  
 1950. Annual report, 1949. 44 p. (R.A.M. 30:140-141)
91. EASTHAM, J. W.  
 1925. Report of the provincial plant pathologist, Vancouver; 19th annual report, 1924. Brit. Columbia Dept. Agr. Ann. Rept., p. K32-K34. (R.A.M. 5:146-147)
92. EDSON, H. A., P. R. MILLER, and JESSIE I. WOOD  
 1935. Diseases of plants in the United States in 1934. Plant Dis. Repr. Suppl. 90:1-135.
93. EDSON, H. A., and JESSIE I. WOOD  
 1936. Diseases of plants in the United States in 1935. Plant Dis. Repr. Suppl. 96:116-289.
94. EDSON, H. A., and JESSIE I. WOOD  
 1937. Diseases of plants in the United States in 1936. Plant Dis. Repr. Suppl. 103:124-244.
95. ERIKSSON, J.  
 1930. Fungous diseases of plants. Translated by William Goodwin. Charles C. Thomas, Springfield, Ill. 526 p. (See especially p. 242-243.)
96. ESSIG, E. O.  
 1919. New hosts of the oak root fungus in Humboldt County. California Comm. Hort. Monthly Bull. 8:79-80. (E.S.R. 44:545)
97. FAWCETT, H. S.  
 1912. What are fungi and bacteria? California Comm. Hort. Monthly Bull. 1:406-412.
98. FEKETE, L.  
 1879. A virágos köris puzztulása a Bakony vidékén. Erdészeti Lapok. (Budapest) 18:81-91. (Botan. Jahresber. 7<sup>1</sup>:376)

99. FERGUS, C. L., and F. D. KERN  
 1959. A list of fungi found on trees in Pennsylvania. Pennsylvania State Univ. Agr. Expt. Sta. Bull. **646**, 38 p.
100. FORBES, A. P. S.  
 1940. Some tung oil diseases in Nyasaland. Nyasaland Tea Assoc. Quart. J. **4** (4):6-10. (R.A.M. 19:625-626)
101. FRASELLE, J. V.  
 1954. [Two diseases of arabica coffee in Ituri.] Inst. Natl. pour l'étude Agron. Congo Belge, Bull. Inf. **3**:337-342. (Hort. Abstr. **25**:329 [2260m.])
102. GADD, C. H.  
 1928. Report of the mycologist. Ceylon Tea Res. Inst. Bull. **2**:7-18. (R.A.M. 7:745-746)
103. GADD, C. H.  
 1930. The Armillaria root disease of tea. Ceylon Tea Res. Inst. Quart. **3**:109-113. (R.A.M. 10:275)
104. GADD, C. H.  
 1940. Report of the mycologist for 1939. Ceylon Tea Res. Inst. Bull. **21**:31-37. (R.A.M. 19:677-678)
105. GALLAGHER, W. J.  
 1908. A root disease of para (*Hevea brasiliensis*) rubber trees. Fed. Malay States Agr. Bull. **8**:515-522. (Botan. Jahresber. **37**:146)
106. GARD, M.  
 1923. [*Armillaria (Armillariella) mellea* and walnut trees.] Rev. de Path. Vég. et d'Ent. Agr. de France **10** (1):55-62. (E.S.R. **52**:749)
107. GEORGEOPoulos, S.  
 1959. [*Armillaria mellea* and the root rots caused by it.] Agr. Bank Mag., Paper 108 (May, June), p. 23-26.
108. GIBELLI, G.  
 1879. Studii sulla moltiplicazione artificiale delle cryptogame parassiti dei cereali. R. Accad. di Scienze, Lettere ed Arti, Modena, Atti **17**:9. (Botan. Jahresber. **5**:97-98)
109. GIBSON, I. A. S.  
 1957. Armillaria root rot. Kenya Forest. Dept. Rept. 1954-55, p. 20. (R.A.M. **37**:190-191)
110. GIBSON, I. A. S.  
 1960. Armillaria root rot in Kenya pine plantations. Empire Forest. Rev. **39**:94-99.
111. GILLOT, X.  
 1884. Notes mycologique. III. Rhizomorphes et Agaries. Rev. Mycol. **6**:67-68.
112. GOLD COAST AGRICULTURE AND COMMERCE SOCIETY  
 1926. Agricultural reports. Gold Coast Agr. and Comm. Soc. J. **5**:44-45. (R.A.M. **6**:19)
113. GREAT BRITAIN FORESTRY COMMISSION  
 1925. The honey fungus (*Armillaria mellea* Vahl. = *Agaricus melleus* L.). [Gt. Brit.] For. est. Comm. Leaflet **6**:1-5. Rev. 1946 and 1958. (Botan. Abstr. **23**:5200)
114. HAMADA, M.  
 1939. [Studies on the mycorrhiza of *Galeola septentrionalis* Reichb. f. A new case of mycorrhiza formation by intraradical rhizomorphs.] Jap. J. Botan. **10**:151-211. (R.A.M. **19**:35-36)
115. HANSFORD, C. G.  
 1937-38. Annotated host list of Uganda parasitic fungi and plant diseases. Part IV. East African Agr. J. **2**:419-424, 498-504; **3**:79-84, 235-240, 319-324.
116. HARTIG, R. L.  
 1873. Vorläufige Mittheilung ueber den Parasitismus von *Agaricus melleus* und dessen Rhizomorphen. Botan. Ztg. **31**:295-297.
117. HARTIG, R. L.  
 1874. Wichtige Krankheiten der Waldbäume. Julius Springer, Berlin. 127 p. (See especially p. 12-42.)
118. HARTIG, R. L.  
 1878. Die Zersetzungerscheinungen des Holzes der Nadelholzäume und der Eiche. Julius Springer, Berlin. 151 p. (See especially p. 59-61.) (Botan. Jahresber. **6**:457-461)

119. HARTIG, R. L.  
1882. Lehrbuch der Baumkrankheiten. Julius Springer, Berlin. 198 p. (See especially p. 91-98.)
120. HENDRICKSON, A. H.  
1925. Oak fungus in orchard trees. California Agr. Expt. Stat. Circ. 289, 13 p. (R.A.M. 5:37-38)
121. HENDRICKX, F. L.  
1944. [Annotated list of Congolese fungi. I.] Inst. Natl. pour l'Étude Agron. Congo Belge Pubs. 1:125-144. (R.A.M. 30:195-196)
122. HENNINGS, P.  
1903. Über die an Bäumen wachsenden heimischen Agaricinen. Hedwigia 42:233-240. (Z. f. Pflanzenkrank. 14:244-245)
123. HEPTING, G. H., and G. B. HEDGE COCK  
1937. Decay in merchantable oak, yellow poplar and basswood in the Appalachian region. U. S. Dept. Agr. Tech. Bull. 570, 30 p. (R.A.M. 16:716-717)
124. HERBERT, D. A.  
1919. [Pathological report, Western Australia.] West. Austral. Dept. Agr. and Indus. Ann. Rept. 1919, p. 29. (E.S.R. 43:243-244)
125. HEWITT, J. L.  
1934. A survey concerning a native pathogen, *Armillaria mellea*. Phytopathology 24:1142 (Abstr.).
126. HOERNER, G. R.  
1949. Hop diseases in the United States. Brewers' Digest 24:45-51. (R.A.M. 28:592-593)
127. HOPKINS, C. J.  
1949. Hop diseases in the United States. Brewers' Digest 24:45-51. (R.A.M. 28:592-593)
128. HOPKINS, C. J. F.  
1936. Annual report of the senior plant pathologist for the year ending 31st December, 1936. Rhodesia Agr. J. 33:413-421. (R.A.M. 15:704-705)
129. HORD, H. H. V., and M. J. HILDEBRAND  
1956. *Armillaria mellea* in relation to regeneration of red pine, white pine, and white spruce. Canada Dept. Agr., Forest. Biol. Div., Bimo. Prog. Rept. 12, p. 2. (R.A.M. 35:799)
130. HORNE, W. T.  
1912. Fungus root rot. California Comm. Hort. Monthly Bull. 1:216-225.
131. HORNE, W. T.  
1934. Avocado diseases in California. California Agr. Expt. Sta. Bull. 585, 72 p. (R.A.M. 14:707)
132. HORNIBROOK, E. M.  
1950. Estimating defect in mature and overmature stands of three Rocky Mountain conifers. Jour. Forestry 48:408-417. (R.A.M. 30:205)
133. HULBERT, F. P.  
1957. Diseases of some export crops in Indonesia. Plant Dis. Repr. 41:55-64.
134. HUMPHREY, C. J.  
1922. Diseases of ornamental and forest trees. Wisconsin State Hort. Soc. Ann. Rept. 52:92-99. (R.A.M. 2:481-482)
135. HUMPHREY, H. B., and JESSIE I. WOOD  
1935. Diseases of plants in the United States in 1933. Plant Dis. Repr. Suppl. 86:2-107.
136. HUTTON, K. E.  
1947. Diseases of cherries. N. S. Wales Agr. Gaz. 58:369-373, 392. (R.A.M. 27:27-28)
137. INGELSTROM, E.  
1938. [Some diseases at present affecting ornamental plants.] [Sweden] Växtskyddsnotiser, Statens Växtskyddsanst. 2:22-24. (R.A.M. 17:752)
138. ITO, K.  
1959. Parasitic diseases of poplars in Japan. [Japan] Dept. Agr. and Forestry. 22 p.
139. JACKSON, B. D., et al.  
1893. Index Kewensis. Clarendon Press, Oxford. 2 v., 12 suppl.

140. JEHLE, R. A., and JESSIE I. WOOD  
 1926. Diseases of field and vegetable crops in the United States in 1925. Plant Dis. Repr. Suppl. 45:1-152. (See especially p. 145.)
141. JOHNSTON, T. H.  
 1910. Notes on some plant diseases. N. S. Wales Agr. Gaz. 21:563-566. (E.S.R. 24:45)
142. JONES, W.  
 1937. *Armillaria mellea* Vahl. ex Fr. on raspberries in British Columbia. Sci. Agr. 17:752-753. (R.A.M. 17:49)
143. JONES, W., and H. S. MACLEOD  
 1937. Armillaria dry rot of potato tubers in British Columbia. Amer. Potato J. 14:215-217. (R.A.M. 16:832)
144. JUBAINVILLE, D' ARBOIS DE  
 1877. La maladie du rond. Revue des eaux et forets 1877:295-296. (Botan. Jahresber. 5:100)
145. KENYA DEPARTMENT OF AGRICULTURE  
 1955. Annual report 1953. Vol. II. 205 p. (R.A.M. 35:357-358)
146. KING, H. C.  
 1944. Pine plantations in Mauritius working plan report. Mauritius Forest Dept. 81 p. (R.A.M. 25:52)
147. KORSTIAN, C. F., and W. D. BRUSH  
 1931. Southern white cedar. U. S. Dept. of Agr. Tech. Bull. 251, 75 p. (R.A.M. 11:140)
148. KRAVTEFF, B. I.  
 1935. [Fungal diseases of the Mongolian oak.] Sovet. Botan. (Leningrad) 2:86-98. (R.A.M. 15:63-64)
149. KUSANO, S.  
 1911. Preliminary note on *Gastrodia elata* and its mycorrhiza. Ann. Botany 25:521-523.
150. LAWRENCE, E.  
 1951. Report of the acting director of agriculture, 1949. Nyasaland Dept. Agr. Ann. Rept., 23 p. (R.A.M. 32:669)
151. LAWRENCE, W. H.  
 1910. Root diseases caused by *Armillaria mellea* in the Puget Sound country. Washington State Col. Agr. Expt. Sta. Bull. 3, Spec. Ser., 16 p.
152. LEACH, R.  
 1931. Report of the mycologist for 1930. Nyasaland Dept. Agr. Ann. Rept., p. 32-34. (R.A.M. 10:706-707)
153. LEACH, R.  
 1933. Report of the mycologist for 1932. Nyasaland Dept. Agr. Ann. Rept., p. 53-54. (R.A.M. 13:216-217)
154. LEACH, R.  
 1936. Report of the plant pathologist, 1935. Nyasaland Dept. Agr. Ann. Rept., p. 26-28. (R.A.M. 15:779-780)
155. LEACH, R.  
 1939. Biological control and ecology of *Armillaria mellea* (Vahl.) Fr. Brit. Mycol. Soc. Trans. 23:320-329. (R.A.M. 19:311-313)
156. LIMÓN, B.  
 1945. [Some fungal diseases of cacao in Tabasco.] Fitofilo 4:193-239; 5:288-318. (R.A.M. 28:328)
157. LINDEMANN, C.  
 1882. Tomicus typographus u. *Agaricus melleus* als Verbündete im Kampfe mit der Fichte. Soc. Imp. Nat. de Moscow Bull. 57 (pt. 2):189-194. (Botan. Jahresber. 10<sup>2</sup>:730)
158. LONG, W. H.  
 1914. The death of chestnuts and oaks due to *Armillaria mellea*. U. S. Dept. Agr. Bull. 89, 9 p. (Z. f. Pflanzenkrank. 26:311)
159. MACKINNON, E.  
 1916. *Armillaria mellea* killing fruit trees. N. S. Wales Agr. Gaz. 27:16. (E.S.R. 35:752)

160. MARTIN, G. H.  
1921. Diseases of forest and shade trees, ornamental and miscellaneous plants in the United States in 1920. *Plant Dis. Repr. Suppl.* 17:288-316.
161. MARTIN, G. H.  
1922. Diseases of forest and shade trees, ornamental and miscellaneous plants in the United States in 1921. *Plant Dis. Repr. Suppl.* 23:415-488.
162. MARTIN, G. H.  
1923. Diseases of forest and shade trees, ornamental and miscellaneous plants in the United States in 1922. *Plant Dis. Repr. Suppl.* 29:393-461.
163. MARTIN, G. H.  
1924. Diseases of forest, shade trees, ornamental and miscellaneous plants in the United States in 1923. *Plant Dis. Repr. Suppl.* 37:349-446.
164. MARTIN, G. H.  
1925. Diseases of forest and shade trees, ornamental and miscellaneous plants in the United States in 1924. *Plant Dis. Repr. Suppl.* 42:313-380.
165. MARTIN, G. H.  
1926. Diseases of forest and shade trees, ornamental and miscellaneous plants in the United States in 1925. *Plant Dis. Repr. Suppl.* 50:413-478.
166. MARTIN, G. H.  
1927. Diseases of forest and shade trees, ornamental and miscellaneous plants in the United States in 1926. *Plant Dis. Repr. Suppl.* 55:334-393.
167. McALPINE, D.  
1902. Die back of the apple. *Victoria Dept. Agr. J.* 1:631. (E.S.R. 14:776)
168. McLARTY, H. R.  
1923. Diseases of plums and their control. *Canada Expt. Farms Circ.* 15, 7 p. (E.S.R. 54:149)
169. McWHORTER, F. P., and F. WEISS  
1932. Diseases of narcissus. *Oregon Agr. Expt. Sta. Bull.* 304, 41 p. (R.A.M. 11:785-786)
170. MEEHAN, T.  
1891. Peach yellows. *Meehan's Monthly* 1:55.
171. MEEHAN, T.  
1891. Rhododendron diseases. *Meehan's Monthly* 1:72.
172. MILLARDET, A.  
1880. *Phylloxera et Pourridié. J. d'Agr. Prat. A.* 44, T. 1, No. 24 and 25. (Botan. Jahressber. 9<sup>1</sup>:279)
173. MILLER, P. A.  
1940. Notes on diseases of ornamental plants in southern California. *Plant Dis. Repr.* 24:219-222.
174. MILLER, P. W.  
1934. Nut tree diseases in Oregon. *Plant Dis. Repr.* 18:4.
175. MOORE, W. C.  
1943. Report on fungus, bacterial and other diseases of crops in England and Wales for the years 1933-1942. [Gt. Brit.] Min. Agr. and Fisheries Bull. 126, 101 p.
176. MOORE, W. C.  
1948. Report on fungus, bacterial and other diseases of crops in England and Wales for the years 1943-1946. [Gt. Brit.] Min. of Agr. and Fisheries Bull. 139, 90 p.
177. MOUNCE, IRENE, J. E. BIER, and MILDRED K. NOBLES  
1940. A root rot of Douglas fir caused by *Poria weiri*. *Canad. J. Res., Sect. C, Bot. Sci.* 18:522-533. (R.A.M. 20:97-98)
178. MUJICA, F., and C. VERGARA  
1945. Flora fungosa Chilena. Ministerio de Agricultura, Santiago, Chile. 199 p.
179. NANCE, NELLIE W.  
1939. Diseases of plants in the United States in 1938. *Plant Dis. Repr. Suppl.* 119:120-289.
180. NANCE, NELLIE W.  
1940. Diseases of plants in the United States in 1939. *Plant Dis. Repr. Suppl.* 128:210-378.

181. NATTRASS, R. M.  
     1932. Annual report of the mycologist for 1931. Cyprus Dept. Agr. Ann. Rept., p. 56-64. (R.A.M. 11:695-696)
182. NATTRASS, R. M.  
     1937. A first list of Cyprus fungi. Cyprus Dept. Agr. 87 p.
183. NATTRASS, R. M.  
     1950. Annual report of the senior plant pathologist, 1948. Kenya Dept. Agr. Ann. Rept., p. 95-98. (R.A.M. 30:308-309)
184. NEGER, F. W.  
     1910. Pathologische Mitteilungen aus dem botanischen Institute der Kgl. Forstakademie Tharandt. III. Über bemerkenswerte in sächsischen Forsten auftretende Baumkrankheiten. Tharandter Forstl. Jahrb. 61 (2):141-167. (Botan. Jahresber. 39<sup>1</sup>:163)
185. NEW SOUTH WALES DEPARTMENT OF AGRICULTURE  
     1954. Plant disease survey for the twelve months ending 30th June, 1953; twenty-third annual report. N. S. Wales Dept. Agr., Biol. Branch, Div. Sci. Ser., 38 p. (Mimeo.) (R.A.M. 34:283-285)
186. NOACK, F.  
     1907. Krankheiten tropischer Nutzpflanzen. Z. f. Pflanzenkrank. 17:238-247, 280-286, 345-355.
187. NOBLE, R. J., H. J. HYNES, F. C. McCLEERY, and W. A. BIRMINGHAM  
     1934. Plant diseases recorded in New South Wales. N. S. Wales Dept. Agr. Sci. Bull. 46, 47 p.
188. NYASALAND FORESTRY DEPARTMENT  
     1946. *Armillaria mellea* in Nyasaland. Nyasaland Forest. Dept. Rept. (R.A.M. 28:200)
189. ORIAN, G.  
     1951. Division of plant pathology. Mauritius Dept. Agr. Ann. Rept., 1949, p. 66-72; 1950, p. 80-85. (R.A.M. 31:537-538)
190. OXFORD FORESTRY INSTITUTE  
     1958. Forest pathology. Oxford Forestry Inst. Rept. 33 (1956-1957), p. 13-17. (R.A.M. 37:601)
191. PACCA, W. D.  
     1935. [On the cassava 'diplodia.'] Rodriguesia 1:77-82. (R.A.M. 15:278)
192. PAMMEL, L. H.  
     1911. Some fungus diseases of trees. Iowa Acad. Sci. Proc. 18:25-33. (Z. f. Pflanzenkrank. 26:403)
193. PATTON, R. F., and A. J. RIKER  
     1959. Artificial inoculations of pine and spruce trees with *Armillaria mellea*. Phytopathology 49:615-622.
194. PEGLION, V.  
     1895. Contribuzione alla conoscenza della flora micologica avellinese. Malpighia 8:424-460. (Z. f. Pflanzenkrank. 5:292-293)
195. PETCH, T.  
     1910. Root diseases of *Acacia decurrens*. Ceylon Roy. Bot. Gard. Circ. and Agr. J. 5(10): 89-94. (Z. f. Pflanzenkrank. 22:47)
196. PETHYBRIDGE, G. H.  
     1926. Fungus and allied diseases of crops, 1922-1924. [Gt. Brit.] Min. Agr. and Fisheries Misc. Pub. 52, 97 p.
197. PETHYBRIDGE, G. H.  
     1926. Fungus and allied diseases of crops, 1925, 1926, and 1927. [Gt. Brit.] Min. Agr. and Fisheries Misc. Pub. 70, 75 p.
198. PETHYBRIDGE, G. H.  
     1934. Fungus and other diseases of crops. [Gt. Brit.] Min. Agr. and Fisheries Misc. Pub. 79, 117 p.
199. PETRI, L.  
     1929. [Methods for the control of root rot of citrus.] [Roma] R. Staz. di Patol. Veg. Boll. N. S. 9:255-272. (R.A.M. 9:302)

200. PIERCE, N. B.  
1892. The California vine disease. U. S. Dept. Agr., Veg. Path. Div., Bull. 2, 222 p. (Z. f. Pflanzenkrank. 3:346-351)
201. PIPER, C. V.  
1902. Orchard enemies. U. S. Dept. Agr. Farmers' Bull. 153, 39 p.
202. PIPER, C. V., and S. W. FLETCHER  
1903. Root diseases of fruit and other trees caused by toadstools. Washington State Agr. Col. Expt. Sta. Bull. 59, 14 p. (E.S.R. 15:689)
203. PLANCHON, G. I.  
1878. La maladie des Châtaigniers dans les Cevennes. Comptes Rendus 87:583-587. (Botan. Jahresber. 6:1147)
204. POLE EVANS, I. B.  
1932. Arable farming and pasture problems. Farming in S. Africa 7:341-352. (R.A.M. 12:142)
205. POLE EVANS, I. B.  
1933. Safeguarding the soil products of the Union; annual report of the division of plant industry. Farming in S. Africa 8:486-493. (R.A.M. 13:425)
206. POMERLEAU, R.  
1942. List annotée des maladies parasites des arbres observées dans le Québec. Quebec Min. Lands and Forests Rept., 39 p. (Mimeo.)
207. POMERLEAU, R.  
1947. [A pathological survey of the deciduous forest at the forestry experiment station, Duchesnay, Quebec.] Quebec Soc. Protect. Plants Ann. Rept. 1943-1944, p. 69-79. (R.A.M. 26:428-429)
208. POMERLEAU, R., and L. MORAIS  
1941. [Black spruce rots at Duchesnay.] Canad-franc. Sci. Assoc. Ann. 7:103. (R.A.M. 21:57)
209. RAABE, R. D.  
1955. Additional woody hosts of *Armillaria mellea* in California. Plant Dis. Repr. 39:658.
210. RAABE, R. D.  
1958. Some previously unreported non-woody hosts of *Armillaria mellea* in California. Plant Dis. Repr. 42:1025.
211. RAABE, R. D.  
1959. Additional unrecorded hosts of *Armillaria mellea*. Plant Dis. Repr. 43:1270.
212. RAHM, E.  
1956. [The honey fungus, a dangerous parasite in our forests.] Schwiez. Ztschr. f. Forstw. 107:8-17. (R.A.M. 36:69)
213. RANT, A.  
1917. The white root fungus of cinchona. Rec. des Trav. Botan. Néerland. 14:143-148.
214. REHDER, A.  
1956. Manual of cultivated trees and shrubs. Macmillan Co., New York. 996 p.
215. RITCHIE, J. H.  
1932. Some observations on the honey agaric (*Armillaria mellea* syn. *Agaricus melleus*). Scot. Forestry J. 46:132-142. (R.A.M. 12:130-131)
216. ROMBOOTS, J. E.  
1937. [Cryptogamic diseases of cacao: a summary of the world literature and observations in the cacao-producing region of Bahia.] [Brazil] Min. da Agr., Dir. de Estaticis. da Prod. Mensario, Bol. 26(10-12):33-57. (R.A.M. 18:92-93)
217. ROSTROP, E.  
1880. Parasitische Pilze an Waldbaume. Tidsskr. for Skovbruk. 4:1. (Roy. Micros. Soc. J. 3:835)
218. ROSTROP, E.  
1883. Fortsatte Undersögelser over Snyltesvampes Angreb paa Skovtrærne. Tidsskr. for Skovbruk. 6:199-300. (Botan. Centbl. 15:147-152)
219. ROSTROP, E.  
1893. Angreb af Snyltesvampe paa Skovtræer i Aarene 1891 og 1892. Tidsskr. for Skovvaesen 1893. Raekke. B. p. 97-117. (Botan. Centbl. 57:182-184)

220. ROSTRUP, F. G. E.  
     1902. Plantepatologi. Bojesen, Copenhagen. 640 p. (See especially p. 391-406.)
221. ROYAL HORTICULTURAL SOCIETY  
     1956. Dictionary of gardening. Clarendon Press, Oxford. 3 v.
222. RUHMANN, M. H.  
     1923. [Plant diseases, British Columbia.] Brit. Columbia Dept. Agr., Ann. Rept. 18, p. 47, 48. (E.S.R. 54:448)
223. SALMON, E. S.  
     1923. Economic mycology. Southeast. Agr. Coll. J. (Wye, Kent) 23:13-33. (R.A.M. 3:258-259)
224. SALMON, E. S., and W. M. WARE  
     1937. The honey fungus (*Armillaria mellea*) attacking fruit trees and hops; with observations on *Pholiota squarrosa* in cherry orchards. Southeast. Agr. Coll. J. (Wye, Kent) 40:18-26. (R.A.M. 16:823-824)
225. SAMOFAL, S. A.  
     1926. [The parasitic fungi *Armillaria mellea* Quélet and *Polyporus annosus* Fries in pine forests and their importance in forest culture.] Mater. po Mikol. i Fitopat. 5:93-116. (Trans. by Mrs. C. C. Chapin and filed in Library of Bureau of Plant Industry)
226. SAMUEL, G.  
     1922. Notes on forest pathology from South Australia. Austral. Forestry J. 5(7):189-192; 5(8):223-226; and 5(9):253-254. (R.A.M. 2:298)
227. SAMUEL, G.  
     1932. Summary of plant disease records in South Australia for the two years ending June 30th, 1932. S. Austral. Dept. Agr. J. 36:300-301. (R.A.M. 12:141-142)
228. SAREJANNI, J. A.  
     1936. Liste II. Des maladies des plantes cultivées et autres de Grèce. Ann. de l'Inst. Phytopath. Benaki 2(1):8-12.
229. SAREJANNI, J. A.  
     1939. Catalogue commenté des Champignons rencontrés sur les plantes cultivées en Grèce. Ann. de l'Inst. Phytopath. Benaki 3(2):41-66.
230. SAVASTANO, L.  
     1887. Esperimenti sul parassitismo dell' *Agaricus melleus*, Vahl. Nuovo Gior. Botan. Ital. 19:97-100. (Botan. Jahresber. 15<sup>1</sup>:550)
231. SCALIA, G.  
     1899. Prima contribuzione alla conoscenza della flora micologica della provincia di Catania. Catania. 25 p. (Botan. Jahresber. 27<sup>1</sup>:49)
232. SCHMITZ, H.  
     1920. Shoestring root rot of rhododendron and azalea caused by *Armillaria mellea* Vahl. Phytopathology 10:375.
233. SCHMITZ, H., and L. W. R. JACKSON  
     1927. Heart rot of aspen, with special reference to forest management in Minnesota. Minn. Agr. Expt. Sta. Tech. Bull. 50, 43 p. (R.A.M. 7:606-607)
234. SEGURA, CONSUELO BAZAN DE  
     1946. [List of the principal plant diseases found in Peru by the department of plant pathology.] Lima, Peru, Estac. Expt. Agr. de La Molina, Publ. 3, 13 p.
235. SHAW, C. G.  
     1958. Host fungus index for the Pacific Northwest. Hosts. Washington Agr. Expt. Sta. Circ. 335, 127 p.
236. SHEPHERD, E. F. S.  
     1930. Botanical Division. Mauritius Dept. Agr. Ann. Rept., 1928, p. 10-13. (R.A.M. 9:507)
237. SINGER, R.  
     1953. Four years of mycological work in southern South America. Mycologia 45:865-891. (R.A.M. 33:365-366)
238. SMALL, W.  
     1923. Annual report of the government mycologist. Uganda Dept. Agr. Ann. Rept. 1923, p. 14, 15. (E.S.R. 53:147-148)

239. SMALL, W.  
1923. The diseases of *Coffea arabica* in Uganda. Uganda Dept. Agr. Circ. 9, 22 p. (E.S.R. 54:253-254)
240. SMALL, W.  
1924. Annual report of the government mycologist. Uganda Dept. Agr. Ann. Rept., 1922, p. 27-29. (R.A.M. 3:508-509)
241. SMALL, W.  
1926. Report of the mycologist for the period January 1st to September 30. Uganda Dept. Agr. Ann. Rept., 1925, p. 23-24. (R.A.M. 6:14-15)
242. SOLOVIEFF, F. A.  
1935. [Physical and mechanical properties of Norway maple wood in the incipient stage of rot caused by *Fomes connatus* Fr.] Lesotekh. Akad. Trudy (Forsttech. Akad., Leningrad, Mitt.) 6:22-46. (R.A.M. 15:65-66)
243. SPAULDING, P., and H. J. MACALONEY  
1931. A study of organic factors concerned in the decadence of birch on cut-over lands in northern New England. J. Forestry 29:1134-1149. (R.A.M. 11:337)
244. STEINMANN, A.  
1931. [Summary of the diseases and pests of green manures during 1930.] Bergcultures 5:255-257. (R.A.M. 10:524-525)
245. STEYLAERT, R. L.  
1948. [A contribution to the study of the plant parasites of the Belgian Congo.] Soc. Roy. Bot. Belg. Bull. 80:11-58. (R.A.M. 28:31)
246. STOLINA, M.  
1954. [What causes the die back of oak stands at L'uboreč?] Les, Bratislava 1(5):11-13. (R.A.M. 34:684)
247. TASMANIAN DEPARTMENT OF AGRICULTURE  
1959. Armillaria root rot. Tasmanian J. Agr. 30(3):198-204.
248. TAYLOR, R. H.  
1918. The almond in California. California Agr. Expt. Sta. Bull. 297, 72 p.
249. TENG, S. C.  
1947. Additions to the Myxomycetes and the Carpomycetes of China. Bot. Bull. Acad. Sinica 1:25-44. (R.A.M. 26:421)
250. TEXAS AGRICULTURAL EXPERIMENT STATION  
1935. [Phytopathological studies by the Texas Station.] Texas Sta. Rept., p. 80-104, 136, 174-178, 188, 216, 248, 252-254, 267, 268. (E.S.R. 76:487-488)
251. THOMAS, HAROLD E.  
[Ca. 1930-1949.] Unpublished list of plants infected with *Armillaria mellea* in California.
252. THOMAS, HAROLD E.  
[Ca. 1930-1949.] Unpublished list of fruit and nut trees tested for resistance to *Armillaria mellea* at the Univ. of California Deciduous Fruit Station, San Jose, California.
253. THOMAS, HAROLD E.  
[Ca. 1930-1949.] Unpublished results of inoculation tests with *Armillaria mellea*.
254. THOMAS, HAROLD E.  
1934. Studies on *Armillaria mellea* (Vahl.) Quél., infection, parasitism and host resistance. J. Agr. Res. 48:187-218.
255. THOMAS, HAROLD E., H. EARL THOMAS, CATHERINE ROBERTS, and A. AMSTUTZ  
1948. Rootstock susceptibility to *Armillaria mellea*. Phytopathology 38:152-154. (R.A.M. 27:372)
256. THOMPSON, A., and A. JOHNSON  
1953. A host list of plant diseases in Malaya. Commonwealth Mycol. Inst. Mycol. Paper 52, 38 p.
257. TRABUT, L.  
1923. [Fruit tree cultivation in North Africa. The fig tree (continuation). Pests and diseases of the fig tree.] Bull. Agr. de l'Algérie, Tunisie, Maroc, 2nd Ser., 29:117-124. (R.A.M. 3:88)

258. TREICHEL, A.  
 1875. Vorkommen von *Agaricus melleus*. Bot. Ver. der Brandenb. Verhandl. 17(16):17. (Botan. Jahresber. 3:163)
259. TUBEUF, K. v.  
 1890. Ueber eine neue Krankheit der Weisstanne und ihre forstliche Bedeutung. Z. f. Forst u. Jagdw. 22:282–285. (Botan. Jahresber. 18<sup>2</sup>:262–263)
260. VAN DER GOOT, P.  
 1937. [Diseases and pests of cultivated crops in the Dutch East Indies in 1936.] Buitenzorg Inst. v. Plantenziekten Meded. 89, 104 p. (R.A.M. 17:161–163)
261. VAN HALL, C. J. J.  
 1921. [Diseases and pests of cultivated plants in the Dutch East Indies during 1921.] Buitenzorg Inst. v. Plantenziekten Meded. 53, 46 p. (R.A.M. 2:8–10)
262. VAN HALL, C. J. J.  
 1924. [Diseases and pests of economic crops in the Dutch East Indies in 1923.] Buitenzorg Inst. v. Plantenziekten Meded. 64, 47 p. (R.A.M. 4:79–80)
263. VAN POETEREN, N.  
 1939. [Report on the work of the phytopathological service in the year 1938.] Verslag en Meded. Plantenziektenkund. Dienst Wageningen 93, 92 p. (R.A.M. 19:194–195)
264. VON THÜMEN, BARON F.  
 1883. Die Pilze des Oelbaumes. Beschreibung sämmtlicher bis Ende des Jahres 1883 bekannt gewordener auf dem Oel- oder Olivenbaum, *Olea sativa*, L. vorkommender. Soc. Adriat. di Sci. Nat. Trieste, Pilze. Sep. Abdr. aus d. Boll., p. 15–44. (Botan. Jahresber. 11<sup>1</sup>:373–374)
265. VAN VLOTEN, H.  
 1936. [Investigations on *Armillaria mellea* (Vahl.) Quél.] Fungus, Wageningen 8(2): 20–23. (R.A.M. 16:215)
266. WACHTL, F. A.  
 1883. Tomicus typographus und *Agaricus melleus* als Verbündete in Kampf mit der Fichte. Centbl. f. das Gesam. Forstw. 9:319. (Ref. No. 41) (Botan. Jahresber. 11<sup>2</sup>:5)
267. WADE, G. C.  
 1949. Diseases of raspberries and loganberries. Tasmanian J. Agr. 20:94–100. (R.A.M. 28:528)
268. WAGENER, W. W.  
 1948. Diseases of cypresses. El Aliso 1(Pt. 2):255–321. (R.A.M. 27:545–546)
269. WAGNER, G.  
 1899. Beiträge zur Kenntnis der Pflanzenparasiten. IV. Z. f. Pflanzenkrank. 9:80–88.
270. WALLACE, G. B.  
 1930. Report of the mycologist. Tanganyika Dept. Agr. Ann. Rept. 1929–30, Part 2, p. 45–49. (E.S.R. 68:488)
271. WALLACE, G. B.  
 1932. Preliminary list of fungi or diseases of economic plants in Tanganyika territory. Kew Roy. Bot. Gard. Bull. Misc. Inf. 1, 12 p.
272. WALLACE, G. B.  
 1933. Report of the mycologist. Tanganyika Dept. Agr. Ann. Rept. 1932, p. 76–80. (R.A.M. 12:552)
273. WALLACE, G. B.  
 1934. Report on a survey of plant diseases in the Iringa Province in June, 1934. Tanganyika Dept. Agr. Mycol. Leaflet 16, 15 p.
274. WALLACE, G. B.  
 1935. Report of the mycologist, 1934. Tanganyika Dept. Agr. Ann. Rept. 1934, p. 90–93. (R.A.M. 14:678–679)
275. WALLACE, G. B.  
 1935. Armillaria root rot in East Africa. E. African Agr. J. 1:182–192. (R.A.M. 15:261)
276. WALLACE, G. B.  
 1937. A revised list of plant diseases in Tanganyika Territory. E. African Agr. J. 2:305–310.

277. WALLACE, G. B.  
1944. Supplement to the revised list of plant diseases in Tanganyika Territory. E. African Agr. J. **10**:47-49.
278. WALLACE, G. B.  
1947. Tanganyika Territory fungus list: recent records No. 9. Tanganyika Dept. Agr. Mycol. Circ. **21**, 6 p. (Mimeo.)
279. WALLACE, G. B.  
1951. Annual report of the plant pathologist, 1949. Tanganyika Dept. Agr. Ann. Rept., p. 115. (R.A.M. **31**:225)
280. WALLACE, G. B., and MAUDE M. WALLACE  
1947. Tanganyika Territory fungus list: recent records No. 8. Tanganyika Dept. Agr. Mycol. Circ. **20**, 5 p. (Mimeo.)
281. WALLACE, G. B., and MAUDE M. WALLACE  
1947. Second supplement to the revised list of plant diseases in Tanganyika Territory. E. African Agr. J. **13**:61-64.
282. WALLACE, G. B., and MAUDE M. WALLACE  
1949. A list of plant diseases of economic importance in Tanganyika Territory. Commonwealth Mycol. Inst. Mycol. Paper **26**, 26 p.
283. WALLACE, G. B., and MAUDE M. WALLACE  
1950. Tanganyika fungus list: recent records No. 13. Tanganyika Dept. Agr. Mycol. Circ. **26**, 8 p. (R.A.M. **30**:79)
284. WALLACE, G. B., and MAUDE M. WALLACE  
1953. A supplement to a list of plant diseases of economic importance in Tanganyika Territory. Commonwealth Mycol. Inst. Mycol. Paper **51**, 6 p.
285. WATERMAN, ALMA M.  
1939. Diseases of shade and ornamental trees: Summary of specimens received in 1938 at the New Haven office, division of forest pathology. Plant Dis. Repr. **23**:85-87.
286. WEIGLE, C. G., and A. M. FRENCH  
1956. Laboratory diagnosis. California Dept. Agr. Bull. **45**:186-187.
287. WEIGLE, C. G., A. M. FRENCH, and T. C. FULLER  
1957. General plant pathology laboratory. California Dept. Agr. Bull. **46**:180-181.
288. WEIR, J. R.  
1915. Observations on the pathology of the jack pine. U. S. Dept. Agr. Bull. **212**, 10 p. (Z. f. Pflanzenkrank. **27**:147)
289. WEIR, J. R.  
1915. New hosts for some forest tree fungi. Phytopathology **5**:71-72.
290. WEIR, J. R.  
1923. The effect of broadcast burning of sale areas on the growth of cull-producing fungi. J. Forestry **21**:183-184. (R.A.M. **2**:531)
291. WEISS, F.  
1950. Index of plant diseases in the United States. Parts I, II, III. U. S. Dept. Agr. Plant Dis. Survey Spec. Publ., p. 1-529.
292. WEISS, F., and MURIEL J. O'BRIEN  
1952-1953. Index of plant diseases in the United States. Parts IV and V. U. S. Dept. Agr. Plant Dis. Survey Spec. Publ., p. 530-1263.
293. WELDON, G. P.  
1918. Bacterial and fungus diseases of the pear. California Comm. Hort. Monthly Bull. **7**:343-370. (E.S.R. **40**:251-252)
294. WHITE, P. R.  
1931. Four unusual symptomatic pictures and their diagnosis. Natl. Shade Tree Conf. Proc., Seventh Ann. Mtg., p. 82-86. (R.A.M. **11**:411)
295. WICKENS, G. M.  
1937. Report of the division of plant pathology for the year ending 31st Dec. 1936. Rhodesia Agr. J. **34**:689-696. (R.A.M. **17**:159-160)
296. WIEHE, P. O.  
1953. The plant diseases of Nyasaland. Commonwealth Mycol. Inst., Mycol. Paper **53**, 39 p. (R.A.M. **34**:548)

297. WILSON, A. R.  
1932. *Armillaria mellea* as the probable cause of a disease of iris. Gard. Chron. No. 2352, Ser. 3, 91:65. (R.A.M. 11:376)
298. WILSON, M.  
1921. *Armillaria mellea* as a potato disease. Roy. Scot. Arbor. Soc. Trans. 35:186, 187. (E.S.R. 49:443)
299. WOOD, JESSIE I., and NELLIE W. NANCE  
1938. Diseases of plants in the United States in 1937. Plant Dis. Repr. Suppl. 110:154-319.
300. WOODHEAD, C. E., and E. E. CHAMBERLAIN  
1940. Report on a survey of small-fruit culture in New Zealand, November-December, 1939. Orchard, New Zeal. 13:110-117, 139-141. (R.A.M. 21:28-29)
301. WORMALD, H.  
1925. Notes on plant diseases in 1924. East Malling [Kent] Res. Sta., Ann. Rept., 1st January 1924 to 31st December 1924, p. 110-119. (R.A.M. 5:277-278)
302. YAMAMOTO, W.  
1954. [Studies on the corm rots of *Crocus sativus*. L. II. On the antagonistic action of Trichoderma fungi against the causal fungi of corm rots.] Hyogo Univ. Agr. Sci. Rept. 1:123-128. (R.A.M. 35:327)
303. ZAPROMETOV, N. G.  
1945. [Mulberry diseases.] [Russia] State Publishing Dept., Tashkent. 76 p. (R.A.M. 25:16-17)
304. ZENTMYER, G. A.  
1959. Avocado diseases in Latin America. Plant Dis. Repr. 43:1229.

## INDEX TO COMMON NAMES OF HOSTS

### *Common Name and Genus*

- Abelia, glossy—*Abelia*, 27  
 Acacia, blackwood—*Acacia*, 28  
     pearl—*Acacia*, 28  
 Albizia, plume—*Albizia*, 29  
 Alder—*Alnus*, 29  
     black—*Alnus*, 29  
     white—*Alnus*, 29  
 Alfalfa—*Medicago*, 47  
 Almond—*Prunus*, 54  
     flowering—*Prunus*, 57  
 Amaryllis—*Amaryllis*, 30  
 Andromeda—*Andromeda*, 30  
     Japanese—*Pieris*, 51  
 Apple—*Malus*, 46, 47  
     crab—*Malus*, 46  
     French crab—*Malus*, 46, 47  
     Siberian crab—*Malus*, 46  
 Apricot—*Prunus*, 54  
     Japanese—*Prunus*, 56  
     purple—*Prunus*, 55  
     Siberian—*Prunus*, 57  
 Arborvitae—*Thuja*, 65  
     American—*Thuja*, 65  
     giant—*Thuja*, 65  
     Oriental—*Thuja*, 65  
 Ash—*Fraxinus*, 41  
     American mountain—*Sorbus*, 63  
     black—*Fraxinus*, 41  
     European—*Fraxinus*, 41  
     European mountain—*Sorbus*, 63  
     flowering—*Fraxinus*, 41  
     mountain—*Sorbus*, 63  
     red—*Fraxinus*, 41  
     white—*Fraxinus*, 41  
 Asparagus—*Asparagus*, 30  
 Aspen—*Populus*, 54  
     American—*Populus*, 54  
     European—*Populus*, 54  
     quaking—*Populus*, 54  
 Aster, tree—*Olearia*, 48  
 Avocado—*Persea*, 49  
     pear—*Persea*, 49  
 Azalea—*Rhododendron*, 60  
 Bamboo—*Phyllostachys*, 50  
 Banana—*Musa*, 48  
 Barbados flower fence—*Poinciana*, 53  
 Barbados pride—*Poinciana*, 53  
 Barberry—*Berberis*, 30  
     Holly, 46  
     Japanese—*Berberis*, 31  
 Bay, mountain rose—*Rhododendron*, 60  
 Beam tree, white—*Sorbus*, 63  
 Bean tree—*Laburnum*, 44  
 Beech—*Fagus*, 40  
     American—*Fagus*, 40  
     European—*Fagus*, 41  
     silver—*Fagus*, 40  
 Beet—  
     golden tankage—*Beta*, 31  
     sugar—*Beta*, 31  
 Begonia, tuberous—*Begonia*, 30  
 Big tree, California—*Sequoia**dendron*, 63  
 Birch—*Betula*, 31  
     canoe—*Betula*, 31  
     European white—*Betula*, 31  
     gray—*Betula*, 31  
     paper—*Betula*, 31  
     silver—*Betula*, 31  
     yellow—*Betula*, 31  
 Bird of paradise—*Strelitzia*, 64  
 Blackberry—*Rubus*, 62  
 Black raspberry—*Rubus*, 62  
 Blue blossom—*Ceanothus*, 33  
 Bottle brush—*Callistemon*, 32  
 Bougainvillea—*Bougainvillea*, 31  
 Box, common—*Buxus*, 32  
 Box elder—*Acer*, 28  
     California—*Acer*, 28  
 Brambles—*Rubus*, 62  
 Bridal wreath—*Spiraea*, 64  
 Broom—*Cytisus*, 38  
     *Genista*, 42  
     Scotch—*Cytisus*, 38  
     Spanish—*Spartium*, 63  
     weaver's—*Spartium*, 63  
 Buckeye, red—*Aesculus*, 29  
 Buckthorn, alder—*Rhamnus*, 60  
 Buffalo berry—*Shepherdia*, 63  
 Bullace—*Prunus*, 56  
 Butterfly bush—*Buddleja*, 31  
 Buttonwood—*Platanus*, 53  
 Cacao—*Theobroma*, 65  
 Cajan—*Cajanus*, 32  
 Cajeput tree—*Melaleuca*, 47  
 Calico bush—*Kalmia*, 44  
 Calla—*Zantedeschia*, 66  
 Camellia—*Camellia*, 32  
 Camphor—*Ocotea*, 48  
     tree—*Cinnamomum*, 35  
 Candelabra tree—*Araucaria*, 30  
 Canna—*Canna*, 32  
 Carrot—*Daucus*, 38  
 Cassava—*Manihot*, 47  
 Catalpa, western—*Catalpa*, 33  
 Ceanothus, Catalina—*Ceanothus*, 33  
     feltleaf—*Ceanothus*, 33  
 Cedar—  
     Deodar—*Cedrus*, 34  
     mlanje (mlanji)—*Widdringtonia*, 66  
     Spanish—*Cedrela*, 33

*Common Name and Genus*

- West Indian—*Cedrela*, 33  
 western red—*Thuja*, 65  
 white—*Chamaecyparis*, 34
- Chaulmoogra oil—*Hydnocarpus*, 43
- Cherimoya—*Annona*, 30
- Cherry—*Prunus*, 55  
 bush—*Prunus*, 57  
 Catalina—*Prunus*, 56  
 -laurel, common—*Prunus*, 56  
 Mahaleb—*Prunus*, 56  
 ornamental—*Prunus*, 54  
 pin—*Prunus*, 56  
 sour—*Prunus*, 55  
 St. Lucie—*Prunus*, 56  
 sweet—*Prunus*, 55  
 western sand—*Prunus*, 55  
 wild—*Prunus*, 54, 57  
 wild black—*Prunus*, 57  
 wild red—*Prunus*, 56
- Chestnut—*Castanea*, 32  
 American—*Castanea*, 33  
 cape—*Calodendron*, 32  
 Chinese—*Castanea*, 33  
 Eurasian—*Castanea*, 33  
 horse—*Aesculus*, 29  
 Spanish—*Castanea*, 33
- Chikwani—*Albizia*, 29
- Chilimbu—*Faurea*, 41
- China-wood-oil tree—*Aleurites*, 29
- Chinquapin—*Castanea*, 33  
 giant—*Castanopsis*, 33
- Chinuni—*Maesa*, 46
- Christmas berry—*Heteromeles*, 42
- Citron—*Citrus*, 35
- Citrus—*Citrus*, 35
- Cobnut—*Corylus*, 37
- Coca—*Erythroxylon*, 39
- Cocoyam—*Colocasia*, 36
- Coconut—*Cocos*, 36
- Coffee—*Coffea*, 36  
 Arabian—*Coffea*, 36  
 common—*Coffea*, 36
- Cola—*Cola*, 36
- Coprosma—*Coprosma*, 36
- Coral bells—*Heuchera*, 42
- Cotoneaster—*Cotoneaster*, 37
- Cotton—*Gossypium*, 42
- Cottonwood—*Populus*, 54  
 black—*Populus*, 54
- Crape myrtle—*Lagerstroemia*, 44
- Crocus, saffron—*Crocus*, 37
- Cumbe—*Isoberlinia*, 43
- Currant—*Ribes*, 61  
 black—*Ribes*, 61  
 common—*Ribes*, 61  
 European black—*Ribes*, 61  
 flowering—*Ribes*, 61
- garden—*Ribes*, 65  
 northern red—*Ribes*, 61
- Cypress—*Thuja*, 65  
*Cupressus*, 38  
 Hinoki—*Chamaecyparis*, 34  
 Lawson—*Chamaecyparis*, 34  
 Monterey—*Cupressus*, 38  
 Portuguese—*Cupressus*, 38  
 rough-barked Arizona—*Cupressus*, 38  
 tecate—*Cupressus*, 38
- Daffodil—*Narcissus*, 48
- Dahlia—*Dahlia*, 38
- Daisy bush—*Olearia*, 48
- Damson—*Prunus*, 56
- Date palm—*Phoenix*, 49
- Date plum—*Diospyros*, 39
- Dewberry—*Rubus*, 62
- Dock—*Rumex*, 62
- Dogwood—*Cornus*, 36  
 flowering—*Cornus*, 36  
 Pacific—*Cornus*, 36
- Dove tree—*Davidia*, 38
- Duranta—*Duranta*, 39
- Elder—*Sambucus*, 62
- Elephant grass—*Pennisetum*, 49
- Elm—*Ulmus*, 65  
 American—*Ulmus*, 65  
 cork—*Ulmus*, 66  
 dwarf—*Ulmus*, 66  
 red—*Ulmus*, 66  
 rock—*Ulmus*, 66  
 Scotch—*Ulmus*, 66  
 Siberian—*Ulmus*, 66  
 slippery—*Ulmus*, 66
- Eucalyptus—*Eucalyptus*, 40
- Fern, tree—*Alsophila*, 30
- Fig—*Ficus*, 41  
 black mission—*Ficus*, 41  
 kadota—*Ficus*, 41
- Filao—*Casuarina*, 33
- Filbert—*Corylus*, 37  
 common—*Corylus*, 37  
 European—*Corylus*, 37
- Fir—*Abies*, 27  
 Alpine—*Abies*, 27  
 balsam—*Abies*, 27  
 Colorado—*Abies*, 27  
 Douglas—*Pseudotsuga*, 57  
 giant—*Abies*, 27  
 grand—*Abies*, 27  
 noble—*Abies*, 27  
 red silver—*Abies*, 27  
 Shasta—*Abies*, 27  
 silver—*Abies*, 27  
 Spanish—*Abies*, 27  
 white—*Abies*, 27
- Flamboyant—*Delonix*, 39

## Common Name and Genus

- Fuchsia—*Fuchsia*, 41  
 Geranium—*Pelargonium*, 49  
   fish—*Pelargonium*, 49  
   ivy—*Pelargonium*, 49  
   Lady Washington—*Pelargonium*, 49  
   rose—*Pelargonium*, 49  
   rose-scented—*Pelargonium*, 49  
 Ginseng—*Panax*, 48  
   American—*Panax*, 49  
 Golden chain—*Laburnum*, 44  
 Goldenrain tree—*Koelreuteria*, 44  
 Golden shower—*Cassia*, 32  
 Goora nut—*Cola*, 36  
 Gooseberry—*Ribes*, 61  
   fuchsia-flowered—*Ribes*, 61  
 Granadilla, purple—*Passiflora*, 49  
 Grape—*Vitis*, 66  
   Fox—*Vitis*, 66  
 Grapefruit—*Citrus*, 35  
 Grass, pampas—*Cortaderia*, 36  
   elephant—*Pennisetum*, 49  
 Guanabana—*Annona*, 30  
 Guava—*Psidium*, 57  
 Gum—*Eucalyptus*, 40  
   black—*Nyssa*, 48  
   desert—*Eucalyptus*, 40  
   lemon-scented spotted—*Eucalyptus*, 40  
   sweet—*Liquidambar*, 45  
   Tasmanian blue—*Eucalyptus*, 40  
 Gumbo—*Hibiscus*, 43  
 Hackberry—*Celtis*, 34  
   Mississippi—*Celtis*, 34  
 Hawthorn—*Crataegus*, 37  
   English—*Crataegus*, 37  
   India—*Rhaphiolepis*, 60  
 Hazel, California—*Corylus*, 37  
 Heath, spring—*Erica*, 39  
 Heather—*Calluna*, 32  
 Hemlock—*Tsuga*, 65  
   Canadian—*Tsuga*, 65  
   common—*Tsuga*, 65  
   western—*Tsuga*, 65  
 Hibiscus—*Hibiscus*, 42  
 Hickory—*Hicoria*, 43  
 Holly—*Ilex*, 43  
 Hollyhock—*Althea*, 30  
 Honeysuckle—  
   European fly—*Lonicera*, 45  
   cape—*Tecomaria*, 64  
 Hops—*Humulus*, 43  
   European—*Humulus*, 43  
 Hornbeam—  
   American—*Carpinus*, 32  
   European—*Carpinus*, 32  
   hop—*Ostrya*, 48  
 Horse chestnut—*Aesculus*, 29  
   common—*Aesculus*, 29  
    Horsetail tree—*Casuarina*, 33  
    Indian shot—*Canna*, 32  
    Iris, Japanese—*Iris*, 43  
    Ironbark—  
     red—*Eucalyptus*, 40  
     white—*Eucalyptus*, 40  
 Ivy—  
   Boston—*Parthenocissus*, 49  
   Japanese—*Parthenocissus*, 49  
 Jasmine, yellow—*Jasminum*, 43  
 Jika—*Pseudalachnostylis*, 57  
 Juniper—  
   African—*Juniperus*, 44  
   Chinese—*Juniperus*, 44  
   common—*Juniperus*, 44  
   creeping—*Juniperus*, 44  
 Kabini—*Combretum*, 36  
 Kaki—*Diospyros*, 39  
 Kamahi-tawa—*Weinmannia*, 66  
 Kamponi—*Brachystegia*, 31  
 Kasokolowe—*Uapaca*, 65  
 Katsura tree—*Cercidiphyllum*, 34  
 Kola—*Cola*, 36  
 Larch—*Larix*, 44  
   European—*Larix*, 44  
   Japanese—*Larix*, 44  
   Siberian—*Larix*, 45  
 Lakpa—*Scotellia*, 63  
 Laurel—*Laurus*, 45  
   common cherry—*Prunus*, 56  
   mountain—*Kalmia*, 44  
   Portugal—*Prunus*, 56  
 Laurestinus—*Viburnum*, 66  
 Lavender—*Lavandula*, 45  
   hybrid, 45  
 Lemon—*Citrus*, 35  
 Lilac—*Syringa*, 64  
   common—*Syringa*, 64  
 Lime—*Citrus*, 35  
 Locust, black—*Robinia*, 61  
 Loganberry—*Rubus*, 62  
 Loquat—*Eriobotrya*, 39  
 Lupine—*Lupinus*, 45  
 Madre—*Gliricida*, 42  
 Madrone—*Arbutus*, 30  
 Mahonia, holly—*Mahonia*, 46  
 Mandarin—*Citrus*, 36  
 Mangel—*Beta*, 31  
 Mango—*Mangifera*, 47  
 Manisoba—*Manihot*, 47  
 Maple—*Acer*, 28  
   black—*Acer*, 28  
   Japanese—*Acer*, 28  
   Norway—*Acer*, 28  
   Oregon—*Acer*, 28  
   red—*Acer*, 28  
   rock—*Acer*, 29

*Common Name and Genus*

- scarlet—*Acer*, 28  
 silver—*Acer*, 28  
 sugar—*Acer*, 29  
 swamp—*Acer*, 28  
 sycamore—*Acer*, 28  
 vine—*Acer*, 28  
 white—*Acer*, 28  
 Mastic tree—*Pistacia*, 53  
 Peruvian—*Schinus*, 63  
 Mayten—*Maytenus*, 47  
 Medlar—*Mespilus*, 47  
 Japanese—*Eriobotrya*, 39  
 Mirror plant—*Coprosma*, 36  
 Mkalati—*Burkea*, 32  
 Mbombwa—*Pterocarpus*, 57  
 Mock orange, California—*Philadelphus*, 49  
 Mohogany—*Khaya*, 44  
 African—*Khaya*, 44  
 Moitch—*Eucalyptus*, 40  
 Mombo—*Brachystegia*, 31  
 Msopa—*Bridelia*, 31  
 Msuku—*Uapaca*, 65  
 Mulberry—*Morus*, 47  
 white—*Morus*, 47  
 Muula—*Parinarium*, 49  
 Mvule—*Chlorophora*, 34  
 Mwanga—*Afrormosia*, 29  
 Myrtle—*Myrtus*, 48  
 Nanyole—*Olinia*, 48  
 Narcissus—*Narcissus*, 48  
 trumpet—*Narcissus*, 48  
 Nectarine—*Prunus*, 56  
 Oak—*Quercus*, 58  
 basket—*Quercus*, 59  
 black—*Quercus*, 60  
 bur—*Quercus*, 59  
 California live—*Quercus*, 58  
 cañon—*Quercus*, 59  
 chestnut—*Quercus*, 59  
 cork—*Quercus*, 60  
 durmast—*Quercus*, 59  
 English—*Quercus*, 60  
 Hill's—*Quercus*, 59  
 laurel—*Quercus*, 59  
 maul—*Quercus*, 59  
 mesa—*Quercus*, 59  
 Mongolian—*Quercus*, 59  
 Oregon—*Quercus*, 59  
 post—*Quercus*, 60  
 red—*Quercus*, 59  
 scarlet—*Quercus*, 59  
 scrub—*Quercus*, 59  
 silk—*Grevillea*, 42  
 Spanish—*Quercus*, 59  
 tanbark—*Lithocarpus*, 45  
 Turkey—*Quercus*, 59  
 valley—*Quercus*, 59  
 water—*Quercus*, 59  
 white—*Quercus*, 58  
 Odum—*Chlorophora*, 34  
 Okra—*Hibiscus*, 43  
 Oleander—*Nerium*, 48  
 Oleaster—*Elaeagnus*, 39  
 Olive—*Olea*, 48  
 Onion—*Allium*, 29  
 Orange—*Citrus*, 35  
 Mexican—*Choisya*, 34  
 Seville—*Citrus*, 35  
 sour—*Citrus*, 35  
 sweet—*Citrus*, 36  
 trifoliate—*Poncirus*, 53  
 Oyster nut—*Telfairia*, 64  
 Peony—*Paeonia*, 48  
 Palm—  
 oil—*Elaeis*, 39  
 date—*Phoenix*, 49  
 Papaw—*Carica*, 32  
 Papaya—*Carica*, 32  
 Parsnip—*Pastinaca*, 49  
 Passion fruit—*Passiflora*, 49  
 Pea, pigeon—*Cajanus*, 32  
 Peach—*Prunus*, 56  
 flowering—*Prunus*, 56  
 Peacock flower—*Delonix*, 39  
 Pear—*Pyrus*, 58  
 Oriental—*Pyrus*, 58  
 sand—*Pyrus*, 58  
 Pecan—*Carya*, 32  
 Peony—*Paeonia*, 48  
 Pepper—*Capsicum*, 32  
 Pepper tree—  
 Brazilian—*Schinus*, 63  
 California—*Schinus*, 63  
 Persimmon—  
 black—*Diospyros*, 39  
 common—*Diospyros*, 39  
 Japanese—*Diospyros*, 39  
 Texas—*Diospyros*, 39  
 Pine—*Pinus*, 51  
 Aleppo—*Pinus*, 51  
 Austrian—*Pinus*, 52  
 Bishop—*Pinus*, 52  
 black—*Pinus*, 51  
 canary—*Pinus*, 51  
 Chinese—*Pinus*, 53  
 cluster—*Pinus*, 52  
 Corsican—*Pinus*, 52  
 hoop—*Araucaria*, 30  
 jack—*Pinus*, 51  
 Jeffrey—*Pinus*, 51  
 limber—*Pinus*, 51  
 loblolly—*Pinus*, 53  
 lodgepole—*Pinus*, 51  
 Mexican stone—*Pinus*, 51

## Common Name and Genus

- Monterey—*Pinus*, 52  
 Moreton Bay—*Araucaria*, 30  
 mountain white—*Pinus*, 52  
 parana—*Araucaria*, 30  
 piñon—*Pinus*, 51  
 pitch—*Pinus*, 52  
 red—*Pinus*, 52  
 Scots—*Pinus*, 53  
 slash—*Pinus*, 51  
 stone—*Pinus*, 51  
 sugar—*Pinus*, 51  
 Swiss mountain—*Pinus*, 52  
 Swiss stone—*Pinus*, 51  
 western—*Pinus*, 52  
 western yellow—*Pinus*, 52  
 Weymouth—*Pinus*, 53  
 white—*Pinus*, 52, 53  
 Pistachio—*Pistacia*, 53  
 Pittosporum, Japanese—*Pittosporum*, 53  
 Plane tree—*Platanus*, 53  
     American—*Platanus*, 53  
 Plantain—*Musa*, 48  
 Plum—*Prunus*, 55  
     bigtree—*Prunus*, 56  
     Damson—*Prunus*, 56  
     Japanese—*Prunus*, 56  
 Poinciana—  
     dwarf—*Poinciana*, 53  
     royal—*Delonix*, 39  
 Poinsettia—*Euphorbia*, 40  
 Pomegranate—*Punica*, 57  
 Popinac, white—*Leucaena*, 45  
 Poplar—*Populus*, 54  
     balsam—*Populus*, 54  
     Canadian—*Populus*, 54  
     Chinese—*Populus*, 54  
     Lombardy—*Populus*, 54  
     silver—*Populus*, 54  
     white—*Populus*, 54  
     yellow—*Liriodendron*, 45  
 Potato—*Solanum*, 63  
 Privet—*Ligustrum*, 45  
     common—*Ligustrum*, 45  
 Prune—*Prunus*, 55  
 Pudding-pipe tree—*Cassia*, 32  
 Punk tree—*Melaleuca*, 47  
 Pyracantha—*Pyracantha*, 57  
 Quince—*Cydonia*, 38  
 Radish, Chinese white—*Raphanus*, 60  
 Raspberry—*Rubus*, 62  
     black—*Rubus*, 62  
     red—*Rubus*, 62  
 Redbud—*Cercis*, 34  
 Redwood—*Sequoia*, 63  
     coastal—*Sequoia*, 63  
     dawn—*Metasequoia*, 47  
     giant—*Sequoiaadendron*, 63  
 Reed, giant—*Arundo*, 30  
 Rhododendron—*Rhododendron*, 60  
 Rhubarb—*Rheum*, 60  
 Rimu—*Dacrydium*, 38  
 Rose—*Rosa*, 61  
     dog—*Rosa*, 61  
     ragged robin—*Rosa*, 61  
 Rose of China—*Hibiscus*, 43  
 Rose of Sharon—*Hibiscus*, 43  
 Rubber—*Hevea*, 42  
     ceara—*Manihot*, 47  
     para—*Hevea*, 42  
 Rutabaga—*Brassica*, 31  
 Sallow—*Salix*, 62  
 Sandpaper tree—*Ficus*, 41  
 Sassafras—*Sassafras*, 62, 63  
 Sea urchin—*Hakea*, 42  
 Sequoia, giant—*Sequoiadendron*, 63  
 Serviceberry—*Amelanchier*, 30  
 Silk tassel bush—*Garrya*, 42  
 Silverberry—*Elaeagnus*, 39  
 Soursop—*Annona*, 30  
 Spindle tree—*Euonymus*, 40  
 Spruce—*Picea*, 50  
     black—*Picea*, 50  
     Colorado—*Picea*, 50  
     Engelmann—*Picea*, 50  
     Norway—*Picea*, 50  
     red—*Picea*, 50  
     Serbian—*Picea*, 50  
     Sitka—*Picea*, 50  
     white—*Picea*, 50  
 Statice—*Limonium*, 45  
 Strawberry—*Fragaria*, 41  
 Strawberry tree—*Arbutus*, 30  
 Sugarberry—*Celtis*, 34  
 Sugar cane—*Saccharum*, 62  
 Sumac—  
     ill-scented—*Rhus*, 61  
     laurel—*Rhus*, 60  
     staghorn—*Rhus*, 61  
     tanner's—*Rhus*, 61  
 Sunflower, common—*Helianthus*, 42  
 Sycamore—*Acer*, 28  
     *Platanus*, 53  
     California—*Platanus*, 53  
 Tamarack, western—*Larix*, 45  
 Tangelo, Sampson—*Citrus*, 35  
 Tea—*Thea*, 64  
 Tea tree, Australian—*Leptospermum*, 45  
 Teak—*Tectona*, 64  
 Thimbleberry—*Rubus*, 62  
 Thorn—  
     everlasting—*Pyracantha*, 57  
     fiery—*Pyracantha*, 57  
 Tomato—*Lycopersicon*, 46  
     tree—*Cyphomandra*, 38

*Common Name and Genus*

- Toyon—*Heteromeles*, 42  
 Tree fern—*Alsophila*, 30  
 Tree of heaven—*Ailanthus*, 29  
 Tsamba—*Brachystegia*, 31  
 Tulip—*Tulipa*, 65  
 Tulip tree—*Liriodendron*, 45,  
     *Spathodea*, 64  
 Tung—*Aleurites*, 29  
 Tung-oil tree—*Aleurites*, 29  
 Tupelo—*Nyssa*, 48  
 Vine—*Vitis*, 66  
 Virginia creeper—*Parthenocissus*, 49  
 Walnut—*Juglans*, 43  
     black—*Juglans*, 44  
     California black—*Juglans*, 43  
     English—*Juglans*, 44  
     Persian—*Juglans*, 44  
 Waterpeer—*Syzygium*, 64  
 Watsonia—*Watsonia*, 66  
 Wattle—*Acacia*, 27  
 black—*Acacia*, 28  
 green—*Acacia*, 28  
 silver—*Acacia*, 28  
 Weymouthskiefer—*Pinus*, 52  
 Whitewood—*Liriodendron*, 45  
 Willow—*Salix*, 62  
     cricket bat—*Salix*, 62  
     goat—*Salix*, 62  
     weeping—*Salix*, 62  
     white—*Salix*, 62  
 Wineberry—*Rubus*, 62  
 Wing-nut, Caucasian—*Pterocarya*, 57  
 Woodbine—*Parthenocissus*, 49  
 Yam—*Dioscorea*, 39  
 Yarrow, common—*Achillea*, 29  
 Yew—  
     English—*Taxus*, 64  
     western—*Taxus*, 64  
 Zidyatungu—*Lannea*, 44  
 Zinyambazo—*Dalbergia*, 38

The journal *Hilgardia* is published at irregular intervals, in volumes of about 600 pages. The number of issues per volume varies.

Subscriptions are not sold. The periodical is sent as published only to libraries, or to institutions in foreign countries having publications to offer in exchange.

You may obtain a single copy of any issue free, as long as the supply lasts; please request by volume and issue number from:

Agricultural Publications  
207 University Hall  
2200 University Avenue  
Berkeley 4, California

The limit to nonresidents of California is 10 separate issues on a single order. A list of the issues still available will be sent on request.